



# 000-972<sup>Q&As</sup>

ILE RPG Programmer

## Pass IBM 000-972 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/000-972.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

File CUSSALES contains a field named JANSALES. Work fields SALESKEY and TOTSALES have been previously defined. Given the following fixed form code sample:

```
.....CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result+++++++Len++D+HiLoEq c z-add customerno
saleskey 7575 c 75saleskey chain cussales 76 c 75 cann76 add jansales totsals
```

Which of the following /Free form samples would produce the same results for field TOTSALS?

- A. if customerno 0; saleskey = customerno; chain saleskey cussales; if %found; totsals += jansales; endif;
- B. saleskey = customerno; if customerno 0; chain saleskey cussales; if %equal(cussales); totsals += jansales; endif;
- C. saleskey = customerno; if saleskey > 0; chain saleskey cussales; if %equal(cussales); totsals += jansales; endif;
- D. if customerno 0; saleskey = customerno; chain saleskey cussales; if not %found(cussales); totsals += jansales; endif;

Correct Answer: A

### QUESTION 2

A Service Program was originally created with the following binder language:

```
STRPGMEXP PGMLVL(*CURRENT) EXPORT SYMBOL(\\'SUBPROC_C\\') EXPORT SYMBOL(\\'SUBPROC_H\\')
ENDPGMEXP
```

Two additional subprocedures are being added to a module already bound into this service program - SUBPROC\_A and SUBPROC\_I.

Which of the following binder language sources could be used to ensure that existing programs, which use this service program, continue to work correctly without being recreated or updated?

- A. STRPGMEXP PGMLVL(\*CURRENT) EXPORT SYMBOL(\\'SUBPROC\_A\\') EXPORT SYMBOL(\\'SUBPROC\_I\\')  
EXPORT SYMBOL(\\'SUBPROC\_H\\') EXPORT SYMBOL(\\'SUBPROC\_C\\') ENDPGMEXP STRPGMEXP  
PGMLVL(\*PRV) EXPORT SYMBOL(\\'SUBPROC\_C\\') EXPORT SYMBOL(\\'SUBPROC\_H\\') ENDPGMEXP
- B. STRPGMEXP PGMLVL(\*CURRENT) EXPORT SYMBOL(\\'SUBPROC\_C\\')  
  
EXPORT SYMBOL(\\'SUBPROC\_H\\')  
  
EXPORT SYMBOL(\\'SUBPROC\_A\\')  
  
EXPORT SYMBOL(\\'SUBPROC\_I\\')  
  
ENDPGMEXP  
  
STRPGMEXP PGMLVL(\*PRV)  
  
EXPORT SYMBOL(\\'SUBPROC\_C\\')



```
EXPORT SYMBOL(\SUBPROC_H)
```

```
ENDPGMEXP
```

```
C. STRPGMEXP SIGNATURE(V1. 2) EXPORT SYMBOL(\SUBPROC_A) EXPORT SYMBOL(\SUBPROC_C)
EXPORT SYMBOL(\SUBPROC_H) EXPORT SYMBOL(\SUBPROC_I) ENDPGMEXP STRPGMEXP
PGMLVL(*PRV) EXPORT SYMBOL(\SUBPROC_C) EXPORT SYMBOL(\SUBPROC_H) ENDPGMEXP
```

```
D. STRPGMEXP PGMLVL(*CURRENT) PGMLVL(*CURRENT) EXPORT SYMBOL(\SUBPROC_C) EXPORT
SYMBOL(\SUBPROC_H) EXPORT SYMBOL(\SUBPROC_A) EXPORT SYMBOL(\SUBPROC_I)
ENDPGMEXP STRPGMEXP SIGNATURE(*PRV) EXPORT SYMBOL(\SUBPROC_C) EXPORT
SYMBOL(\SUBPROC_H) ENDPGMEXP
```

Correct Answer: B

### QUESTION 3

Given the following code sample:

```
fcustinq cf e workstn sfile(openord:sflrr1) d sflrr1 s 3 0
C*0N01Factor1++++++Opcode(E)+Factor2++++++Result++++++Len++D+HiLoEq c *in99 doueq *on c add 1 sflrr1
c write openord 99 c enddo
```

Which of the following /Free form code samples will perform the same task?

- A. dow %found(custinq); sflrr1 += 1; write openord; enddo;
- B. dou %eof(custinq); sflrr1 += 1; write openord; enddo;
- C. dow not %eof(openord); sflrr1 += 1; write openord; enddo;
- D. dou %eof(openord); sflrr1 = sflrr1 + 1; write openord; enddo;

Correct Answer: B

### QUESTION 4

Given the following code sample:

```
d NotLate PR ExtPgm(\LARRY) d RqDta 32767a d RqLen 10i 0 d RqTyp 10i 0
```

Which of the following is the correct code to call the program Larry?

- A. call NotLate(RequestData : RequestLength : RequestType);
- B. callb NotLate(RequestData : RequestLength : RequestType);
- C. callp NotLate(RequestData : RequestLength : RequestType);



D. C CALL '\\NOTLATE\\' C PARM RequestData

C PARM RequestLength

C PARM RequestType

Correct Answer: C

---

#### QUESTION 5

File CUSMS contains a field named CMCSNO.

Which of the following file specification keywords will allow the program to recognize this field as CUSTCSNO?

A. PREFIX(CUST)

B. PREFIX(CUST:2)

C. RENAME(CM:CUST)

D. RENAME(CMCSNO:CUSTCSNO)

Correct Answer: B

[Latest 000-972 Dumps](#)

[000-972 Practice Test](#)

[000-972 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.