



ILE RPG Programmer

Pass IBM 000-972 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/000-972.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

When creating a multiple module program which of the following statements is true?

A. Multiple modules must be bound into a *SRVPGM object.

- B. The module to be invoked must be specified on the CALL command.
- C. The procedure names that are exported from the modules do not have to be unique.
- D. Modules being bound into a *PGM or *SRVPGM object require H-spec keyword NOMAIN.

Correct Answer: C

QUESTION 2

Given the following code sample:

Which of the following is a valid expression?

- A. MyPrice = CustPrice(1 : MyItem : *omit);
- B. MyPrice = CustPrice(1 : MyItem : : MyQty);
- C. MyPrice = CustPrice(MyCompany : MyItem : *omit : *nopass);
- D. MyPrice = CustPrice(MyCompany : MyItem : MyContract : *omit);

Correct Answer: A

QUESTION 3

Given the following code sample:

D ElementsAllocateDS...

D S 10i 0

Which of the following best describes ElementsAllocateDS?

A. A syntax error



- B. A long field name
- C. A data structure
- D. A qualified field name

Correct Answer: B

QUESTION 4

A trigger program has been designed to run whenever file CUSTMAST is modified. A decimal data error is encountered when trying to reference a numeric field in the old record image of CUSTMAST. The buffer contained hexadecimal \\'40404040\\'.

Which of the following was found to have caused the error?

- A. The trigger program was fired by a *DELETE event.
- B. The trigger program was fired by an *INSERT event.
- C. The trigger program was added as a *BEFORE trigger.
- D. The trigger program was compiled without ALWNULL(*YES).
- Correct Answer: B

QUESTION 5

Given the following code sample:

D x s 5i 0 inz(0)

D count s 5i 0 inz(0)

/free

for x = 2 to 3 by 2;

count += x;

endfor;

What are the values of x and count after the loop completes?

A. x = 3 count = 5

B. x = 4 count = 6



- C. x = 4 count = 2
- D. x = 2 count = 2
- Correct Answer: C

000-972 Practice Test

000-972 Study Guide

000-972 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4lead, All Rights Reserved.