

050-696^{Q&As}

Foundations of Novell Open Enterprise Server NetWare

Pass Novell 050-696 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/050-696.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Novell
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You're planning to install OES NetWare on an older server which has a Pentium II 266 MHz CPU, 512 MB of RAM, a 10 GB hard disk drive, and a single PCI network board. Will the installation be successful?

- A. Yes, all prerequisite requirements have been met.
- B. No, OES NetWare doesn't support PCI network boards.
- C. No, OES NetWare requires a minimum of 1 gigabyte of RAM.
- D. No, OES NetWare requires a Pentium III 750 MHz or faster CPU.
- E. No, OES NetWare requires that the system have two or more CPUs.

Correct Answer: A

QUESTION 2

You're moving the ksanders user object from the SLC.DA container to the TYO.DA container in your eDirectory tree. You're concerned that ksanders may forget that her object has been moved and will try to log in to the tree using her old user context. What type of object can you create in the SLC.DA container that will allow her to continue logging in as ksanders.SLC.DA even though her user object now resides in TYO.DA?

- A. Alias
- B. Group
- C. Profile
- D. Template
- E. Organizational Role

Correct Answer: A

QUESTION 3

Click on the tab you would use to enable the Novell Client to send messages to other NetWare users.

Hot Area:

Item 47 of 66 Time Remaining: 1:04:51

Point and Click

Click the Point and Click button to begin.

Click on the tab you would use to enable the Novell Client to send messages to other NetWare users.

Point and Click

Novell Client Configuration

LDAP Contextless Login	Single Sign-on	DHCP Settings
Default Capture	Protocol Preferences	
DSCAT Contextless Login	Update Agent	
Service Location	Advanced Settings	Advanced Menu Settings
Client	Location Profiles	Advanced Login

First network drive:

Preferred server:

Preferred tree:

Client version:

Support pack:

Tree: Name context:

Click Next (or More) to continue.

Correct Answer:

Item 47 of 66 Time Remaining: 1:04:51

Point and Click

Click the Point and Click button to begin.

Click on the tab you would use to enable the Novell Client to send messages to other NetWare users.

Point and Click

Novell Client Configuration

LDAP Contextless Login	Single Sign-on	DHCP Settings
Default Capture	Protocol Preferences	
DSCAT Contextless Login	Update Agent	
Service Location	Advanced Settings	Advanced Menu Settings
Client	Location Profiles	Advanced Login

First network drive:

Preferred server:

Preferred tree:

Client version:

Support pack:

Tree: Name context:

Click Next (or More) to continue.

QUESTION 4

During the installation of OES NetWare, the installation program automatically detects the .HAM drivers needed for your system. What type of hardware do .HAM drivers support?

- A. WAN communication devices.
- B. Peripheral devices, such as printers.
- C. Storage adapters, such as SCSI boards.
- D. Communication devices, such as network boards.
- E. Storage devices, such as CD-ROM or hard disk drives.
- F. Special hardware configurations, such as a multiprocessor system.

Correct Answer: C

QUESTION 5

The eDirectory _____ defines the types of objects that can be created in your tree and what attributes they will have.

Correct Answer: schema

[050-696 VCE Dumps](#)

[050-696 Exam Questions](#)

[050-696 Braindumps](#)