

# 050-80-CASECURID01<sup>Q&As</sup>

RSA SecurID Certified Administrator 8.0 Exam

## Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/050-80-casecurid01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Within which RSA Authentication Manager menu would you configure the number of incorrect PASSCODES that will invoke Next Tokencode Mode?

- A. Policies
- B. System Setup
- C. Identity Settings
- D. RADIUS Lockout

Correct Answer: A

---

**QUESTION 2**

If a user forgets his/her PIN and still has possession of his/her token, an Administrator should verify the identity of the user and then

- A. Clear the user's old PIN.
- B. Disable the user's token.
- C. Assign a new token to the user.
- D. Assign a temporary Fixed Passcode.

Correct Answer: A

---

**QUESTION 3**

What action will allow an Authentication Agent to register automatically with RSA Authentication Manager?

- A. Edit the Authentication Agent Access Policy to allow auto-registration
- B. Enable "Allow authentication agent auto-registration" in the Agent record
- C. Select the option to "Allow Auto Registration" during installation of the Agent
- D. Add "Auto-Registration=ALLOW" as a parameter value in the sdconf.rec file

Correct Answer: B

---

**QUESTION 4**

When a user authenticates with a token for the first time, what does the user enter when prompted for a PASSCODE?

- A. the serial number of the token
- B. the tokencode on the token's display
- C. a PIN the user creates followed by their tokencode
- D. a temporary PASSCODE assigned by the Administrator

Correct Answer: B

---

**QUESTION 5**

Which statements concerning RSA SecurID time-synchronous authentication are true? (Choose two)

- A. On-demand codes have a 5-minute synchronization window.
- B. Token expiration dates are based on the date of the token's first use.
- C. Calculation of a tokencode involves the use of Universal Coordinated Time.
- D. An administrator can configure the tokencode change interval on an RSA SecurID token.
- E. Tokencode calculations are performed by both the RSA Authentication Manager instance and RSA SecurID tokens.

Correct Answer: CE

[Latest  
050-80-CASECURID01  
Dumps](#)

[050-80-CASECURID01  
PDF Dumps](#)

[050-80-CASECURID01  
Practice Test](#)