

050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/050-80-casecurid01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Offline Authentication capability allows:

- A. an On-demand tokencode to be used in place of an RSA SecurID passcode
- B. an Authentication Agent to verify user passcodes in the event that an instance is unavailable
- C. a list of RSA SecurID passcodes to be stored in a text file in the event that an instance is unavailable
- D. user authentication with an RSA SecurID token when their computer is disconnected from a network

Correct Answer: D

QUESTION 2

When adding a new Authentication Agent record to the RSA Authentication Manager database, an attempt is made to resolve the hostname of the Agent Host with its IP Address. If the attempt fails,

- A. the administrator can override the hostname/IP Address by using the Auto-Registration option.
- B. the Agent is added to the database with a `Pending\` status until it is first used for a successful authentication.
- C. a warning is given that the hostname/IP Address cannot be resolved but the database will allow the Agent to be added.
- D. the administrator must correct the address resolution through DNS or editing the /etc/hosts file before the Agent can be added to the database.

Correct Answer: C

QUESTION 3

If a user is seeking help after receiving an `Access Denied\` message, which Security Console function would help locate the activity?

- A. Reporting
- B. Token record
- C. User activation record
- D. Administrative Activity Monitor

Correct Answer: A

QUESTION 4

The RSA SecurID Software token calculates tokencodes using the time value

- A. Of the Remote Access or VPN server computer.
- B. Obtained from the Authentication Manager instance.
- C. Obtained from the Authentication Agent host computer.
- D. Of the host device on which the software token is installed.

Correct Answer: D

QUESTION 5

If multiple users request On-demand Tokencodes but are not receiving them, what would be an appropriate action to take?

- A. Verify that the users are not in New PIN mode.
- B. Verify that SMS or SMTP services are configured correctly.
- C. Ensure that the token codes assigned to the users have not expired.
- D. Verify that the user's receiving device is set to the same time zone as the Authentication Manager instance.

Correct Answer: B

[Latest
050-80-CASECURID01
Dumps](#)

[050-80-CASECURID01
Practice Test](#)

[050-80-CASECURID01
Study Guide](#)