

100-890^{Q&As}

Supporting Cisco Collaboration Devices

Pass Cisco 100-890 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/100-890.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which distributed database allows hostnames to be mapped to IP addresses?

- A. Dynamic Host Configuration Protocol (DHCP)
- B. Network Time Protocol (NTP)
- C. Domain Name System (DNS)
- D. Cisco Discovery Protocol

Correct Answer: C

https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3750x_3560x/software/release/12-2_55_se/configuration/guide/3750xscg/swadmin.html

QUESTION 2

The Certificate Trust List (CTL) file is an important file that the Cisco IP phone downloads during the bootup process. What information is defined in the CTL file?

- A. CTL contains a list of certificates and feature licenses that the IP phone is authorized to use
- B. CTL specifies a list of configuration files that the phone can download from the TFTP server
- C. CTL contains a list of Cisco Unified CM and TFTP servers that the IP phone is authorized to connect to.
- D. CTL defines how the Cisco IP Phone communicates with Cisco Unified CM and provides a phone with its load ID

Correct Answer: C

QUESTION 3

Which two protocols are peer-to-peer signaling protocols where the end devices contain the intelligence to initiate and terminate calls and interpret call control messages? (Choose two)

- A. H.248
- B. SCCP
- C. H.323
- D. SIP
- E. MGCP

Correct Answer: CD

Explanation: SIP and H.323 are examples of peer-to-peer signaling protocols where the end devices or gateways contain the intelligence to initiate and terminate calls and interpret call control messages

<https://www.ccexpert.us/voice-over-ip/mcu.html>

QUESTION 4

Which two devices can provide a Cisco IP phone the network connection and power necessary for the phone to function in the IP telephony network? (Choose two)

- A. IP phone power adapter with Ethernet port
- B. Cisco Unified Communications Manager PoE port
- C. Cisco TelePresence codec
- D. Cisco Voice Gateway PoE port
- E. Cisco Catalyst PoE switch

Correct Answer: DE

QUESTION 5

What are two standard fiber-optic connectors? (Choose two.)

- A. Lucent
- B. rollover
- C. subscriber
- D. multidimension
- E. crossover

Correct Answer: AC

[100-890 Study Guide](#)

[100-890 Exam Questions](#)

[100-890 Braindumps](#)