

# 102-400<sup>Q&As</sup>

LPI Level 1 Exam 102, Junior Level Linux Certification, Part 2 of 2

## Pass Lpi 102-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/102-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which command, available with all MTAs, is used to list the contents of the MTA's mail queue? (Specify ONLY the command without any path or parameters.)

Correct Answer: mailq, /usr/bin/mailq, sendmail -bp, /usr/sbin/sendmail -bp, /usr/lib/sendmail -bp, sendmail, /usr/sbin/sendmail, /usr/lib/sendmail

**QUESTION 2**

When the command `echo $` outputs 1, which of the following statements is true?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before echo.
- D. It is the exit value of the echo command.

Correct Answer: C

**QUESTION 3**

Given the following routing table:

```
Kernel IP routing table
```

Destination	Gateway	Genmask	Flags	Metri
0.0.0.0	192.168.178.1	0.0.0.0	UG	0
192.168.1.0	0.0.0.0	255.255.255.0	U	0
192.168.2.0	192.168.1.1	255.255.255.0	U	0
192.168.178.0	0.0.0.0	255.255.255.0	U	9

How would an outgoing packet to the destination 192.168.2.150 be handled?

- A. It would be passed to the default router 192.168.178.1 on wlan0.
- B. It would be directly transmitted on the device eth0.
- C. It would be passed to the default router 255.255.255.0 on eth0.
- D. It would be directly transmitted on the device wlan0.
- E. It would be passed to the router 192.168.1.1 on eth0.

Correct Answer: E

**QUESTION 4**

What is true regarding the file `~/.forward`?

- A. As it is owned by the MTA and not writable by the user, it must be edited using the `editaliases` command.
- B. After editing `~/.forward` the user must run `newaliases` to make the mail server aware of the changes.
- C. Using `~/.forward`, root may configure any email address whereas all other users may configure only their own addresses.
- D. When configured correctly, `~/.forward` can be used to forward each incoming mail to more than one other recipient.

Correct Answer: D

---

**QUESTION 5**

Which of the following is true about IPv6?

- A. With IPv6, the TCP port numbers of most services have changed.
- B. IPv6 no longer supports broadcast addresses.
- C. IPv4 addresses can be used without any change with IPv6.
- D. IPv6 no longer supports multicast addresses.
- E. For IPv6, UDP and TCP have been replaced by the Rapid Transmission Protocol RTP.

Correct Answer: B

[102-400 VCE Dumps](#)

[102-400 Practice Test](#)

[102-400 Study Guide](#)