

102-500^{Q&As}

LPIC-1 Exam 102 - Part 2 of 2 - version 5.0

Pass Lpi 102-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/102-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following commands displays all environment and shell variables?

- A. getargs
- B. lsenv
- C. ls
- D. env
- E. lsshell

Correct Answer: D

QUESTION 2

What is a purpose of an SSH host key?

- A. It must be sent by any SSH client in addition to a user key in order to identify the client's host.
- B. It provides the server's identity information to connecting SSH clients.
- C. It is the root key by which all user SSH keys must be signed.
- D. It authenticates any user that logs into a remote machine from the key's host.
- E. It is used by system services like cron, syslog or a backup job to automatically connect to remote hosts.

Correct Answer: B

QUESTION 3

On a system running the KDE Display Manager, when is the /etc/kde4/kdm/Xreset script automatically executed?

- A. When KDM starts
- B. When a user's X session exits
- C. When KDM crashes
- D. When X is restarted
- E. When X crashes

Correct Answer: B

QUESTION 4

Which parameter must be passed to ifconfig to activate a previously inactive network interface? (Specify the parameter only without any command, path or additional options)

- A. up
- B. Placeholder
- C. Placeholder
- D. Placeholder

Correct Answer: A

QUESTION 5

How can the existing environment variable FOOBAR be suppressed for the execution of the script./myscript only?

- A. unset -v FOOBAR;./myscript
- B. set -a FOOBAR="";./myscript
- C. env -u FOOBAR./myscript
- D. env -i FOOBAR./myscript

Correct Answer: C

[Latest 102-500 Dumps](#)

[102-500 PDF Dumps](#)

[102-500 Braindumps](#)