

# 117-201<sup>Q&As</sup>

Linux Advanced Administration

## Pass Lpi 117-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/117-201.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What is the difference between zImage and bzImage targets when compiling a kernel?

- A. zImage is compressed using gzip, bzImage is compressed using bzip2
- B. zImage is for 2.4 series kernels, bzImage is for 2.6 series kernels
- C. zImage is loaded into low memory, bzImage is loaded into high memory
- D. zImage is limited to 64k, bzImage is not

Correct Answer: C

---

**QUESTION 2**

To restore the kernel source to the previous, unpatched, version, which of the following commands could be used?

- A. patch--restore
- B. patch --remove
- C. patch -U
- D. patch--undo
- E. patch -R

Correct Answer: E

---

**QUESTION 3**

Which THREE statements concerning automounter are true?

- A. The autofs service does not need to be restarted after changing automounter map files
- B. Only one entry in master map can refer to each map file
- C. The automounter service does not rely on the kernel configuration
- D. For each entry in auto.master, a separate automounter daemon is started
- E. Changes to auto.master require automounter to reload its configuration

Correct Answer: ADE

---

**QUESTION 4**

Consider the following output from df -i:

```
Filesystem Inodes IUsed IFree IUse% Mounted on /dev/md0 1966080 45044 1921036 3% / none 125731 712 125019
1% /dev none 127729 1 127728 1% /dev/shm none 127729 17 127712 1% /var/run none 127729 2127727 1% /var/lock
none 1966080 45044 1921036 3% /var/lib/ureadahead/debugfs /dev/sdel 0 0 0 - /mnt
```

What filesystem does /dev/sdel most likely use?

- A. ext2
- B. ext3
- C. reiserfs
- D. xfs

Correct Answer: C

---

#### QUESTION 5

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

Correct Answer: by-uuid

[117-201 VCE Dumps](#)

[117-201 Study Guide](#)

[117-201 Braindumps](#)