

117-202^{Q&As}

LPI Level 2 Exam 202

Pass Lpi 117-202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/117-202.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which records must be entered in a zone file in order to use "Round Robin Load Distribution" for a web server?

- A. www.example.org. 60 IN A 192.168.1.1 www.example.org. 60 IN A 192.168.1.2 www.example.org. 60 IN A 192.168.1.3
- B. www.example.org. 60 IN A 192.168.1.1;192.168.1.2;192.168.1.3
- C. www.example.org. 60 IN A 192.168.1-3
- D. www.example.org. 60 IN RR 192.168.1:3
- E. www.example.org. 60 IN RR 192.168.1.1;192.168.1.2;192.168.1.3

Correct Answer: A

QUESTION 2

Which dhcpd.conf option defines the DNS server address(es) to be sent to the DHCP clients?

- A. domainname
- B. domain-name-servers
- C. domain-nameserver
- D. domain-name-server

Correct Answer: B

QUESTION 3

Unlike many other services, OpenSSH cannot be configured to hide its version information without recompiling from source code. What is the primary reason for this disclosure of version information?

- A. There are many inconsistent SSH client and server versions. This information is used to enable protocol compatibility adjustments.
- B. The information is used for surveys of SSH servers on the internet by the OpenSSH project.
- C. Being a security centric application, the OpenSSH developers do not rely on security through obscurity.
- D. It is used by network auditing tools to report on when versions of ssh require security updates.

Correct Answer: A

QUESTION 4

What must be done on a host to allow a user to log in to that host using an SSH key?

- A. Add their private key to ~/. ssh/authorized_keys
- B. Reference their public key in ~/. ssh/config
- C. Run ssh-agent on that host
- D. Add their public key to ~/. ssh/authorized_keys
- E. Reference their private key in ~/. ssh/config

Correct Answer: D

QUESTION 5

Which of these ways can be used to only allow access to a DNS server from specified networks/hosts?

- A. Using the limit{...};statement in the named configuration file.
- B. Using the allow-query{...};statement in the named configuration file.
- C. Using the answer only{...};statement in the named configuration file.
- D. Using the answer{...};statement in the named configuration file.
- E. Using the query access{...};statement in the named configuration file.

Correct Answer: B

[Latest 117-202 Dumps](#)

[117-202 Exam Questions](#)

[117-202 Braindumps](#)