

# 132-S-900.7<sup>Q&As</sup>

Avaya IP Telephony Design Elective Exam

**Pass Avaya 132-S-900.7 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/132-s-900-7.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



#### QUESTION 1

A customer has an existing carrier-based VPN and wants to run voice traffic over it. Which two are required to ensure voice quality and security? (Choose two.)

- A. IPSec with either L2TP or PPTP
- B. guaranteed end-to-end level of service
- C. changing transport from ATM to MPLS
- D. setting up encrypted channels over the Internet

Correct Answer: AB

---

#### QUESTION 2

In reviewing the network assessment, you find the customer includes Category (CAT) 3 and Category 5 wiring in place. One of the customer's goals is to have an infrastructure that is able to support voice and data needs for at least 10 years. What two solutions should you discuss with the customer? (Choose two.)

- A. CAT 5 and CAT 6 gigabit cabling
- B. upgrading CAT 3 to CAT 5 to support 100 Mb bandwidth
- C. upgrading to CAT 5 to support 200 Mb bandwidth capability
- D. replacing CAT 3 with CAT 5 to provide sets requiring greater distances

Correct Answer: AB

---

#### QUESTION 3

Your client has an existing S8500 Media Server with G700 Media Gateways running Communication Manager (CM) R1. Your client wants interoperability with Session Initiated Protocol (SIP) endpoints. What do you tell your client?

- A. SIP interoperability is being considered, a firm interoperability date is not available at this point.
- B. The SIP protocol is still evolving. When it is finalized, Avaya will make interoperability available.
- C. The introduction of SIP interoperability became available with CM Release 2. An upgrade will be required.
- D. With their existing system, SIP interoperability is supported via third-party SIP/ H.323 conversion servers.

Correct Answer: C

---

#### QUESTION 4

If a customer has multiple systems from different vendors and wants to network them together, which software should

be used?

- A. DCS
- B. ARS
- C. UDP
- D. QSIG

Correct Answer: D

---

**QUESTION 5**

Given a migration from Definity Server R, release 10, to Communication Manager 4.0, which of the following is not supported?

- A. BX.25
- B. ISDN-BRI
- C. Fractional DS1
- D. TN1654 E1 mode

Correct Answer: A

[Latest 132-S-900.7 Dumps](#)

[132-S-900.7 PDF Dumps](#)

[132-S-900.7 VCE Dumps](#)