

# 156-915.77<sup>Q&As</sup>

Check Point Certified Security Expert Update

## Pass CheckPoint 156-915.77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/156-915-77.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

Where do you define NAT properties so that NAT is performed either client side or server side?

- A. In Smart Dashboard under Gateway setting
- B. In Smart Dashboard under Global Properties > NAT definition
- C. In Smart Dashboard in the NAT Rules
- D. In file \$DFWDIR/lib/table.def

Correct Answer: B

---

#### QUESTION 2

Jon is explaining how the inspection module works to a colleague. If a new connection passes through the inspection module and the packet matches the rule, what is the next step in the process?

- A. Verify if the packet should be moved through the TCP/IP stack.
- B. Verify if any logging or alerts are defined.
- C. Verify if the packet should be rejected.
- D. Verify if another rule exists.

Correct Answer: B

---

#### QUESTION 3

When restoring R77 using the command `upgrade_import`, which of the following items are NOT restored?

- A. SIC Certificates
- B. Licenses
- C. Route tables
- D. Global properties

Correct Answer: C

---

#### QUESTION 4

You are troubleshooting a HTTP connection problem. You've started `fw monitor -o http.pcap`. When you open `http.pcap` with Wireshark there is only one line. What is the most likely reason?

- A. `fw monitor` was restricted to the wrong interface.

- B. Like SmartView Tracker only the first packet of a connection will be captured by fw monitor.
- C. By default only SYN packets are captured.
- D. Acceleration was turned on and therefore fw monitor sees only SYN.

Correct Answer: D

**QUESTION 5**

Use the table to match the BEST Management High Availability synchronization-status descriptions for your Security Management Server (SMS).

Exhibit:

Status	Description
A. Never synchronized	1. The active SMS has changed but the standby SMS has not been synchronized.
B. Lagging	2. The standby SMS changed before the active SMS.
C. Advanced	3. The secondary server needs to be manually synchronized with the primary.
D. Collision	4. The active and standby SMS's have both been changed without a successful synchronization.
	5. The standby SMS has changed more recently than the active SMS.

- A. A-5, B-3, C-1, D-2
- B. A-3, B-1, C-4, D-2
- C. A-3, B-5, C-2, D-4
- D. A-3, B-1, C-5, D-4

Correct Answer: D

[Latest 156-915.77 Dumps](#)

[156-915.77 PDF Dumps](#)

[156-915.77 Study Guide](#)