

199-01^{Q&As}

Riverbed Certified Solutions Professional

Pass Riverbed 199-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/199-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You have an in-house HTTP application running on port 8443 but you are not seeing HTTP optimization. You checked and made sure that the HTTP blade is enabled. What is the likely problem?

- A. Primary port needs to be on the LAN side of the Steelhead
- B. There is a separate license key for the HTTP blade
- C. The HTTP blade will only work on port 80 and 8080 and can not be changed
- D. The HTTP blade only supports HTTP 1.1 and the application is using HTTP 1.0
- E. HTTP blade is enabled by default on port 80 and 8080. An in-path rule is necessary for all other ports.

Correct Answer: E

QUESTION 2

Which of the following points on WCCP v2 are correct? (Select 4)

- A. Intercept on outbound interface only
- B. Multicast support
- C. Able to redirect any TCP/UDP traffic
- D. Uses UDP port 2048 for control messages
- E. Multi-router support

Correct Answer: BCDE

QUESTION 3

Is any user data sent across the out-of-band (OOB) connection of a Steelhead appliance?

- A. No data is sent across this connection
- B. Yes, only after 60 seconds
- C. Yes, when the peer Steelhead appliance requests information
- D. Yes, when the connection is setup
- E. Yes, every 30 seconds
- F. Yes, every 30 minutes

Correct Answer: A

QUESTION 4

Hybrid Mode can best be defined as a combination of:

- A. Physical in-path and WCCP
- B. Physical/virtual in-path and server-side out-of-path
- C. Physical/virtual in-path and PBR
- D. A and B
- E. A, B, and C

Correct Answer: B

QUESTION 5

-- Exhibit -- Exhibit -

```
interface Ethernet1/1
  description server-19-subnet
  ip address 172.16.19.3 255.255.255.0
  ip ospf cost 300
  half-duplex
!
interface Ethernet1/2
  description SH10-subnet
  ip address 172.16.10.3 255.255.255.0
  ip ospf cost 300
  half-duplex
!
interface Ethernet1/3
  description SH11-subnet
  ip address 172.16.11.3 255.255.255.0
  ip wccp 94 redirect in
  ip ospf cost 300
  half-duplex
```

Configure > Optimization > General Service Settings ?

In-Path Settings

- Enable In-Path Support
 - Reset Existing Client Connections on Start Up *(not recommended for production networks)*
 - Enable L4/PBR/WCCP/Interceptor Support
 - Enable Optimizations on Interface **inpath0_0**

Refer to the exhibit. In a WCCP environment with R3, SH10 and SH11, it was observed that the returning traffic from Server2 is not being optimized by the Steelhead appliances. Why? (Select 2)

- A. The router is not properly configured.
- B. Physical in-path mode should be enabled.
- C. The wccp redirect command is missing.
- D. You should disable logical in-path.

Correct Answer: AC

[Latest 199-01 Dumps](#)

[199-01 VCE Dumps](#)

[199-01 Braindumps](#)