

1Z0-052^{Q&As}

Oracle Database 11g: Administration Workshop I

Pass Oracle 1Z0-052 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-052.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your database is using Automatic Memory Management.

Which two SGA components must be managed manually? (Choose two)

- A. keep buffer pool
- B. shared pool
- C. redo log buffer
- D. default buffer cache
- E. large pool

Correct Answer: AC

QUESTION 2

You want to check the details of few errors that users have reported. You search for the alert log file and execute few commands to find the location of the alert log file.

View the Exhibit and check the commands executed.

```
SQL> SELECT name, value FROM v$spparameter WHERE name LIKE '%dest';

NAME                                VALUE
-----                                -
log_archive_dest
log_archive_duplex_dest
log_archive_min_succeed_dest
standby_archive_dest
db_create_file_dest
db_recovery_file_dest                /u01/app/oracle/flash_recovery_area
background_dump_dest
user_dump_dest
core_dump_dest
audit_file_dest                      /u01/app/oracle/admin/orcl/adump
diagnostic_dest

11 rows selected.

SQL> exit
Disconnected from Oracle Database 11g Enterprise Edition Release
11.1.0.6.0 - Production
With the Partitioning, OLAP and Data Mining options
[oracle@edt4r4p1 ~]$ echo $ORACLE_BASE
/u01/app/oracle
[oracle@edt4r4p1 ~]$ echo $ORACLE_SID
orcl
[oracle@edt4r4p1 ~]$
```

What is the location of the alert_orcl.log file?

- A. ORACLE_HOME/dbs
- B. ORACLE_HOME/rdbms
- C. /u01/app/oracle/admin/orcl/adump
- D. /u01/app/oracle/flash_recovery_area
- E. ORACLE_BASE/diag/rdbms/orcl/alert
- F. ORACLE_BASE/diag/rdbms/orcl/orcl/trace

Correct Answer: F

QUESTION 3

Which two are true about the Data Recovery Advisor? (Choose two.)

- A. It can be used when a database IS MOUNTED
- B. It can be used when a database IS OPEN

- C. It can be used only with databases that are running in ARCHIVELOG mode
- D. It can repair only databases for which RMAN backups exist
- E. It can be used to take RMAN backups
- F. It can be used to validate RMAN backups

Correct Answer: DF

QUESTION 4

The database is running in ARCHIVELOG mode. Examine the initialization parameters and their values set to enable archiving on your database server:

```
LOG_ARCHIVE_FORMAT = arch_%t_%s_%r.arc  
LOG_ARCHIVE_DEST_1 = 'LOCATION = /disk1/archive'  
DB_RECOVERY_FILE_DEST = '/u01/oradata'  
DB_RECOVERY_FILE_DEST_SIZE = 20G
```

Which statement is true regarding the archived redo log files?

- A. It will be created on the local file system in the location specified LOG_ARCHIVE_DEST_1 parameter.
- B. It will be created only in the flash recovery area (fast recovery area).
- C. It will be created in the location specified by the LOG_ARCHIVE_DEST_1 parameter and the default location \$ORACLE_HOME/dbs.
- D. It will be created in the location specified by the LOG_ARCHIVE_DEST_1 parameter and location specified by the DB_RECOVERY_FILE_DEST parameter.

Correct Answer: A

QUESTION 5

Observe the information in the columns: Which option has the correct match between the memory areas and their contents?

- | | |
|-----------------------------|--|
| 1. The SGA | a. Text and parsed forms of all SQL statements |
| 2. The cursor state | b. Run-time memory values for the SQL statement, such as rows retrieved |
| 3. User-session data | c. Security and resource usage information |
| 4. The stack space | d. Local variables for the process |

A. 1-c, 2-b, 3-d, 4-a

B. 1-b, 2-c, 3-d, 4-a

C. 1-a, 2-b, 3-c, 4-d

D. 1-a, 2-b, 3-d, 4-c

Correct Answer: C

[Latest 1Z0-052 Dumps](#)

[1Z0-052 VCE Dumps](#)

[1Z0-052 Exam Questions](#)