

# 1Z0-053<sup>Q&As</sup>

Oracle Database 11g: Administration II

## Pass Oracle 1Z0-053 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-053.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In what view are you likely to see the following output?

SID	SERIAL#	EVENT	SECONDS_IN_WAIT
121	269	RMAN backup & recovery I/O	2
129	415	SQL*Net message from client	63
130	270	SQL*Net message from client	0

- A. V\$SESSION\_EVENT
- B. V\$SESSION
- C. V\$WAITS
- D. V\$WAITSTAT
- E. V\$SYSSTAT

Correct Answer: B

**QUESTION 2**

You are working on a 24X7 database. You want to design a backup strategy for your database that uses user managed backups. You want to be able to perform all backups while the database remains online.

Which statement about performing user-managed backups in a 24x7 environment is true?

- A. You must have change tracking enabled in your database
- B. Your database must be running in NOARCHIVELOG mode
- C. To back up a tablespace, it must be in backup mode
- D. To back up a tablespace, it must first be taken offline

Correct Answer: C

**QUESTION 3**

What is the proper procedure to recover a lost tempfile?

- A. Restore the backup copy of the tempfile from the backup media.
- B. Re-create the tempfile with the create tempfile command.

- C. Copy an existing tempfile from another database.
- D. Re-create the tempfile with the create tablespace command.
- E. Re-create the tempfile with the alter tablespace command.

Correct Answer: E

```
ALTER TABLESPACE ADD TEMPFILE ; ALTER TABLESPACE TEMPFILE OFFLINE; ALTER TABLESPACE TEMPFILE ONLINE;
```

---

#### QUESTION 4

You specify a nonzero value for the MEMORY\_TARGET initialization parameter, but do not set the PGA\_AGGREGATE\_TARGET or the SGA\_TARGET parameters. You restart your database instance.

Which statement about the result is true?

- A. The database instance starts, and Oracle sets the default value of SGA\_TARGET to the same value as SGA\_MAX\_SIZE.
- B. The database instance starts, and Oracle automatically tunes memory and allocates 60 percent to the SGA and 40 percent to the PGA.
- C. The database instance starts, but Automatic Memory Management is disabled.
- D. The database instance will not start because you did not specify the PGA\_AGGREGATE\_TARGET or SGA\_TARGET parameter.

Correct Answer: B

---

#### QUESTION 5

The \_\_\_\_\_ writes the Flashback Database logs in the flash recovery area.

- A. FLSH
- B. FLDB
- C. RVWR
- D. RVRW
- E. FBDA

Correct Answer: C

RVWR (Recovery Writer Process), Writes flashback data to the flashback logs in the fast recovery area RVWR writes flashback data from the flashback buffer in the SGA to the flashback logs. RVWR also creates flashback logs and performs some tasks for flashback log automatic management. Existed in Database instance, Flashback Database FBDA (Flashback Data Archiver Process), Archives historical rows for tracked tables into flashback data archives and

manages archive space, organization, and retention. When a transaction that modifies a tracked table commits, FBDA stores the pre-image of the rows in the archive. FBDA maintains metadata on the current rows and tracks how much data has been archived.

FBDA is also responsible for automatically managing the flashback data archive for space, organization (partitioning tablespaces), and retention. FBDA also keeps track of how far the archiving of tracked transactions has progressed.

See Also: Oracle Database Advanced Application Developer's Guide Existing in Database and ASM instances

[1Z0-053 PDF Dumps](#)

[1Z0-053 Practice Test](#)

[1Z0-053 Exam Questions](#)