



# 1Z0-898<sup>Q&As</sup>

Java EE 6 Java Persistence API Developer Certified Expert

## Pass Oracle 1Z0-898 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/1Z0-898.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A developer needs to include a set of managed classes in a persistence unit. Which two solutions are correct? (Choose two.)

- A. Place the class files in the orm.xml file.
- B. Place the class files in the root of the persistence unit.
- C. Place the class files in any mapping file that is included on the classpath.
- D. Place the class files in any jar on the classpath that is included in the persistence unit.

Correct Answer: AB

Reference:<https://cwiki.apache.org/GMOxDOC21/persistence.xml.html>(Topic: )

---

### QUESTION 2

Given a set of CMT bean methods with the following transaction attributes: Method M1 = SUPPORTS Method M2 = REQUIRED Method M3 = NOT\_SUPPORTED Method M4 = REQUIRES\_NEW And the following method invocation sequence: Method M1 invokes Method M2 Method M2 invokes Method M3 Method M1 invokes Method M4 If Method M1 is invoked by a method that does NOT have a transaction context, which describes a possible scenario?

- A. Method M1 : no transaction Method M2 : new transaction Method M3 : no transaction Method M4 : new transaction
- B. Method M1 : no transaction Method M2 : Container throws TransactionNotSupportedException
- C. Method M1 : no transaction Method M2 : runs in same transaction as M1 Method M3 : container throws TransactionNotSupportedException
- D. Method M1 : no transaction Method M2 : new transaction Method M3: Container throws TransactionNotSupportedException.

Correct Answer: B

---

### QUESTION 3

A developer wants to write a type-safe Criteria API query. Which two of the following statements true about Criteria query roots? (Choose two)

- A. The query MUST define a query root.
- B. The query MUST define a query root only if it navigates to related entities.
- C. The query MUST NOT define multiple query roots.
- D. The query may define multiple query roots.



Correct Answer: BC

Reference:<http://docs.jboss.org/hibernate/orm/4.0/hem/en-US/html/querycriteria.html>

<http://stackoverflow.com/questions/3424696/jpa-criteria-api-how-to-add-join-clause-as-general-sentence-as-possible>

---

#### QUESTION 4

An entity person is mapped to a table PERSON and has a collection-valued persistence field otherUsedNames that stores names used by a person. The other used Names field is mapped to a separate table called NAMES. Which code fragment correctly defines such field?

- A. `@ElementCollection (name = "NAMES") Protected set otherUsedNames = new HashSet () ;`
- B. `@Element collection @ElementTable (name = "NAMES") Protected set otherUsedNames = new HashSet () ;`
- C. `@ElementCollection @SecondaryTable (names = "NAMES") Protected set otherUsedNames = new HashSet () ;`
- D. `@ElementCollection @CollectionTable(names = "Names") Protected set otherUsedNames = new HashSet () ;`

Correct Answer: D

Reference:<http://docs.oracle.com/javaee/6/api/javax/persistence/CollectionTable.html>

---

#### QUESTION 5

Consider a persistence application with following entity:

`@Entity`

`Public class MyEntity {`

`@Column (name = "FIELD_A_COLUMN")`

`int fieldA;`

`int fieldB;`

`int fieldC;`

`int fieldD;`

An orm.xml is packaged in the application with the following contents:



```
<entity-mappings...>
<persistence-unit-metadata/>
<entity name="MyEntity" class="com.acme.MyEntity" access="FIELD">
  <table name="MY_TABLE_NAME"/>
  <attributes>
    <basic name="fieldB">
      <column name="NEW_COLB"/>
    </basic>
    <basic name="fieldC">
      <column name="NEW_COLC"/>
    </basic>
  </attributes>
</entity>
</entity-mappings>
```

Which two of following statement are true. (Choose two)

- A. fieldA is mapped to column FIELDA
- B. fieldB is mapped to column NEW\_COLB
- C. fieldD is a persistent attribute of MyEntity
- D. fieldD is not a persistence attribute of MyEntity

Correct Answer: BD

[1Z0-898 PDF Dumps](#)

[1Z0-898 VCE Dumps](#)

[1Z0-898 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.