

1Y0-240^{Q&As}

Citrix NetScaler Essentials and Traffic Management

Pass Citrix 1Y0-240 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-240.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A Citrix Administrator wants to configure independent and isolated access on a single appliance for three different departments to allow them to manage and isolate their own applications.

How can the administrator isolate department-level administration?

- A. Configure dedicated routes in the admin partitions for each department.
- B. Configure Policy-based Routes for each department in the nsroot partition.
- C. Configure admin partitions that use dedicated VLANs.
- D. Configure a SNIP in each partition and bind a VLAN for the department.

Correct Answer: C

QUESTION 2

In a Global Server Load Balancing (GSLB) Active/Active environment, the connection proxy is used as the site persistence method.

What is used to source the traffic when connection is proxied?

- A. LDNS IP Address
- B. Client source IP
- C. Virtual IP
- D. Subnet IP (SNIP)

Correct Answer: B

QUESTION 3

Users are experiencing resets from the Intranet server website, which is load-balanced through the NetScaler.

Which NetScaler tool can a Citrix Administrator use to troubleshoot the reset issue?

- A. Take a packet trace with nstrace and analyze with WireShark.
- B. View the new nslog from the command-line interface (CLI) to look for packet resets from the NetScaler.
- C. Look in the Event Viewer for packet resets from the NetScaler.
- D. Use the nslog to look for packet resets on the NetScaler.

Correct Answer: B

QUESTION 4

A Citrix Administrator has configured the NetScaler as a DNS Proxy Server. The administrator executed the following commands on the NetScaler using command-line interface:

```
add rewrite action Act_1 replace_dns_header_field "dns.res.header.flags.set(aa)"
```

```
add rewrite policy Pol_1 true Act_1
```

```
bind rewrite global Pol_1 100 -type dns_res_override
```

What will be the effect of executing the above commands?

- A. Set the AA bit of DNS Response
- B. Unset the AA bit of DNS Response
- C. Unset the AA bit of DNS Request
- D. Set the AA bit of DNS Request

Correct Answer: A

QUESTION 5

Scenario: A Citrix Administrator has made changes to the NetScaler, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no NetScaler backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Run HA file synchronization.
- C. Run Save v/s Running configuration.
- D. Restart the NetScaler

Correct Answer: B

[Latest 1Y0-240 Dumps](#)

[1Y0-240 PDF Dumps](#)

[1Y0-240 Practice Test](#)