

1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that users have the certificate's private key.
- B. Ensure that users have the certificate's public key.
- C. Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D. Ensure that users have the server certificate installed.

Correct Answer: C

<https://support.citrix.com/article/CTX101990>

QUESTION 2

Scenario: A Citrix Administrator observes that when the client gets redirected to www.citrix.com/owa/search?q=username, an HTTP 503 response is received from the content switching vServer. The relevant configuration is as follows: > add cs action CS_Act_1 -targetLBVserver SERVER_1 > add cs action CS_Act_2 -targetLBVserver SERVER_2 > add cs action CS_Act_3 -targetLBVserver SERVER_3 > add cs action CS_Act_4 -targetLBVserver SERVER_4 > add cs policy CS_Pol_1 -rule "http.REQ.URL path_and_query CONTAINS(\"connect\")" -action CS_Act_1 > add cs policy CS_Pol_2 -rule "http.REQ.URL path_and_query EQ(\"owa\")" -action CS_Act_2 > add cs policy CS_Pol_3 -rule "http.REQ.URL path_and_query CONTAINS(\"owa\")" -action CS_Act_3 > add cs policy CS_Pol_4 -rule "http.REQ.IS_VALID" -action CS_Act_4 > bind cs vServer CS_vserver1 -policyName CS_Pol_1 -priority 110 > bind cs vServer CS_vserver1 -policyName CS_Pol_4 -priority 120 How can the administrator correct the issue?

- A. Unbind CS_Pol_1.
- B. Bind Policy CS_Pol_3 with priority 100.
- C. Bind Policy CS_Pol_2 with priority 100.
- D. Unbind CS Pol 4.

Correct Answer: B

QUESTION 3

In a global server load balancing (GSLB) active-active environment, the connection proxy is used as the site persistence method. What is used to source the traffic when the connection is proxied?

- A. Subnet IP (SNIP)
- B. LDNS IP Address

C. Client source IP

D. Virtual IP (VIP)

Correct Answer: C

QUESTION 4

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to-server connections. Which Citrix ADC mode can the administrator use to meet this requirement?

A. USNIP

B. Layer 2

C. Layer 3

D. USIP

Correct Answer: D

When you enable the USIP address mode of a NetScaler appliance, the appliance forwards each packet to the appropriate back end server with the client IP address. <https://support.citrix.com/article/CTX121974>

QUESTION 5

Scenario: Client connections to certain vServers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management (ADM) to accomplish this?

A. Configure network reporting on the Citrix ADM by setting the threshold and email address.

B. Configure SMTP reporting on the Citrix ADM by adding the threshold and email address.

C. Configure TCP Insight on the Citrix ADM.

D. Configure specific alerts for vServers using Citrix ADM.

Correct Answer: A

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/networks/network-reporting.html>

[1Y0-241 VCE Dumps](#)

[1Y0-241 Exam Questions](#)

[1Y0-241 Braindumps](#)