1Y0-241 Q&As

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/1y0-241.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Scenario: A Citrix ADC receives packets destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 mode is enabled by default on the Citrix ADC. The Citrix ADC will _____ the packets in this scenario. (Choose the correct option to complete the sentence.)

A. route

B. process

C. bridge

D. drop

Correct Answer: A

https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/configure-system-settings/configure-modes-packet-forwarding.html

QUESTION 2

Scenario: After deploying a Citrix ADC in production, a Citrix Administrator notices that client requests are NOT being evenly distributed among backend resources. The administrator wants to change from the default loadbalancing method to one that will help distribute the load more evenly.

Which load-balancing method would ensure that the server with the least amount of network utilization is receiving new connections?

A. Least connection

B. Least bandwidth

C. Least response time

D. Least packets

Correct Answer: B

https://docs.citrix.com/en-us/citrix-adc/current-release/load-balancing/load-balancing-customizing-algorithms/leastbandwidth-method.html

QUESTION 3

Scenario: A Citrix Administrator configured a global server load balancing (GSLB) setup for internal and external users using the same host name. For internal users, cvad.citrite.net should go to the Citrix StoreFront site; for external users, it should connect to the Citrix ADC Gateway VPN site.

Which feature should the administrator configure to accomplish this?

A. DNS Preferred Location

B. DNS Record

C. DNS View

D. DNS Proxy

Correct Answer: C

Reference: https://support.citrix.com/article/CTX130163

QUESTION 4

Scenario: While using the GUI, a Citrix ADC MPX appliance becomes unresponsive. A Citrix Administrator needs to restart the appliance and force a core dump for analysis. What can the administrator do to accomplish this?

A. Turn off the appliance using the power button.

B. Use the reset button on the front of the appliance.

C. Use the NMI button on the back of the appliance.

D. Connect to a USB port to issue a restart command.

Correct Answer: C

https://support.citrix.com/article/CTX120660

QUESTION 5

A Citrix Administrator needs to protect the HTTP backend server type without actually removing the header. Which rewrite action type can the administrator apply to the Citrix ADC configuration to accomplish this?

A. REPLACE

B. CORRUPT_HTTP_HEADER

C. REPLACE_HTTP_REQ

D. REPLACE_ALL

Correct Answer: A

https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/rewrite/rewrite-action-policy-examples/example-mask-http-server- type.html

Latest 1Y0-241 Dumps   1Y0-241 Study Guide   1Y0-241 Braindumps