

1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix Administrator configured an authentication, authorization, and auditing (AAA) policy to allow users access through the Citrix ADC. The administrator bound the policy to a specific vServer. Which policy expression will allow all users access through the vServer?

- A. true
- B. false
- C. ns_true
- D. ns_false

Correct Answer: C

Tricky one, this is for 13.1 and classic still is mandatory for AAA until 2023 (with exceptions on Traffic policy)

<https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/introduction-to-policies-and-exp/advanced-policy-infrastructure.html> <https://docs.citrix.com/en-us/citrix-adc/current-release/aaa-tm/entities-of-authenticationauthorization-auditing/authentication-policies.html>

QUESTION 2

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

- A. A private key
- B. A certificate revocation list (CRL)
- C. A certificate signing request (CSR)
- D. A certificate key-pair

Correct Answer: A

<https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance.html>

QUESTION 3

Which setting is responsible for reducing the server load, improving response time, and increasing the number of SSL transactions per second on an SSL vServer?

- A. SSLv3
- B. Session timeout
- C. SSLv2 redirect

D. Session reuse

Correct Answer: D

QUESTION 4

Scenario: While performing a disaster recovery test, a Citrix Administrator decides to failover the Citrix ADC high availability (HA) pair appliances. The administrator notices that the failover is NOT working as expected, and the secondary Citrix ADC is NOT taking over as primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue?

- A. HA monitoring is enabled on an interface of the secondary node that shows as ENABLED, DOWN.
- B. The Independent Network Configuration (INC) mode is enabled on the primary node.
- C. HA monitoring is enabled on a disabled interface of the primary node.
- D. HA heartbeats are only seen on some enabled interfaces of the secondary node.

Correct Answer: C

QUESTION 5

Scenario: To receive data alerts for failures, a Citrix Administrator is configuring SNMP on the Citrix ADC. The administrator is confident that the manager, alarms and SNMP traps are configured correctly. The following week, there is a Citrix ADC-related outage and the administrator does NOT receive any alerts.

What could be the reason for this alert failure?

- A. The Citrix Web App Firewall is blocking the alerts from going out.
- B. The community name was NOT configured in the Citrix ADC SNMP trap destination settings.
- C. The Citrix ADC only has standard licensing.
- D. The Citrix ADC is configured for SNMP version 1.

Correct Answer: B

[1Y0-241 VCE Dumps](#)

[1Y0-241 Practice Test](#)

[1Y0-241 Braindumps](#)