

1Y0-351^{Q&As}

Citrix NetScaler 10.5 Essentials and Networking

Pass Citrix 1Y0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-351.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A network engineer wants to configure a NetScaler for load balancing Voice over IP traffic (VoIP).

Which hash method is the best fit for VoIP traffic?

- A. Call ID
- B. Source IP
- C. Destination IP
- D. Domain name

Correct Answer: A

QUESTION 2

Which three command-line interface commands should a NetScaler Engineer execute to configure an authentication virtual server? (Choose three.)

- A. add authentication vserver ssl
- B. bind ssl certkey
- C. set authentication vserver -authenticationDomain
- D. show authentication vserver
- E. add ssl certkey

Correct Answer: ABC

QUESTION 3

Scenario: The network engineer is setting up a new NetScaler using a direct connection. Three networks are connected to the NetScaler. After initial configuration and restart, the engineer would like to confirm the routing table entries.

From which location and which command should the engineer run to display the routing table?

- A. From the shell `\\netstat -r\\`
- B. From the shell `\\route monitor\\`
- C. From the command-line interface `\\show pbr\\`
- D. From the command-line interface `\\show route\\`

Correct Answer: D

```
> sh route
      Network          Netmask          Gateway/OwnedIP  State  Type
-----
1)    0.0.0.0           0.0.0.0           192.168.0.2     UP     STATIC
2)    0.0.0.0           0.0.0.0           192.168.0.1     UP     STATIC
3)    127.0.0.0         255.0.0.0         127.0.0.1       UP     PERMANENT
4)    192.168.0.0       255.255.255.0    192.168.0.111   UP     DIRECT
5)    10.0.0.0          255.0.0.0         192.168.0.3     UP     STATIC
Done
>
```

QUESTION 4

While performing some re-cabling, a NetScaler engineer noticed that a power supply unit failed on a NetScaler appliance. What should the engineer enable to receive notification of a future hardware failure?

- A. SMTP
- B. SNMP
- C. Health monitoring
- D. EdgeSight monitoring

Correct Answer: B

QUESTION 5

Scenario: A network engineer is going to roll out an upgrade from a 9.x version on a standalone

NetScaler appliance using the command-line interface.

Which two items does the engineer need to download before proceeding with the upgrade? (Choose two.)

- A. SSL Certificates Files
- B. NetScaler Firmware File
- C. NetScaler Configuration file
- D. NetScaler Documentation File

Correct Answer: BD

[1Y0-351 VCE Dumps](#)

[1Y0-351 Practice Test](#)

[1Y0-351 Braindumps](#)