

# 1Y0-402<sup>Q&As</sup>

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

## Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-402.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The architect has identified the Resource Layer requirements shown in the Exhibit.

Click the Exhibit button to view the requirements.

User Group	Do user settings need to persist?	Assigned FlexCast model	Access required to profile folders?	Additional Requirements
Accountants	Yes	Published apps	No	No
Executives	Yes	Remote PC	Yes, the following folders should be available: <ul style="list-style-type: none"> <li>• Contacts</li> <li>• Desktop</li> <li>• Downloads</li> <li>• Favorites</li> <li>• My Documents</li> </ul>	Profile data should be preserved even if resource machine fails.  Solution must NOT require anything to be installed on the Remote PCs.
Graphic Designers	Yes	Hosted VDI (Static / persistent, uses vGPU)	Yes, the following folders should be available: <ul style="list-style-type: none"> <li>• Contacts</li> <li>• Desktop</li> <li>• Favorites</li> <li>• My Documents</li> <li>• My Pictures</li> <li>• My Videos</li> </ul>	Need to ensure application data is NOT lost if the application crashes
Customer Service	No	Published Desktop (Server OS)	No	No

Additionally, management at the organization has identified the following general Resource Layer requirements:

The profile solution should be centrally managed.

The profile solution should minimize logon and logoff times as much as possible.

User groups do NOT need to use the same profile type.

Citrix Director should be used for monitoring profiles.

Which profile type should the architect use for the Executives group?

- A. Local
- B. Microsoft roaming

C. Citrix Profile Management


D. Mandatory

Correct Answer: B

**QUESTION 2**

Scenario: A Citrix Architect wants to set up double-hop access for an existing XenApp and XenDesktop Site. All communication across DMZ 1, DMZ 2, and the Internal Network is encrypted over port 443. The architect has proposed the design shown in the Exhibit, where DMZ 1 has NetScaler Gateway 1 and DMZ 2 has NetScaler Gateway 2 and StoreFront.

Click the Exhibit button to view the design.



Which two sets of ports should the architect request to enable on Firewall 2?

- A. Port 443 outbound and Port 1494/2598 inbound
- B. Port 443 outbound and Port 80 inbound
- C. Port 443 outbound and Port 443 inbound
- D. Port 443 outbound and Port 389/636 inbound

Correct Answer: D

**QUESTION 3**

Scenario: A Citrix Architect is implementing a new XenApp and XenDesktop environment.

The customer has stated the following requirements:

All users must be able to aggregate resources from all Sites.

Both Sites should be treated as one equivalent farm set.

User connections should be directed to the New York Site with failover to San Francisco.

Click the Exhibit button to view the StoreFront configurations.

Exhibit 1

**Aggregate Resources**


StoreFront allows you to aggregate the resources from multiple deployments. Select the controllers that need to be aggregated.

Controller	Type
<b>Aggregated</b>	
<input checked="" type="checkbox"/> NewYork	XenDesktop (7.0 or higher), XenApp (7.5 or higher)
<input type="checkbox"/> SanFrancisco	XenDesktop (7.0 or higher), XenApp (7.5 or higher)
<b>Not Aggregated</b>	
None	

**Aggregated Controller Settings**  
These settings apply to all controllers marked as Aggregated

- Controllers publish identical resources
- Load balance resources across controllers

Exhibit 2



Based on the configurations, requirement 1 is \_\_\_\_\_, requirement 2 is \_\_\_\_\_, and requirement 3 is \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. met; met; NOT met
- B. NOT met; NOT met; NOT met
- C. NOT met; met; NOT met
- D. met; NOT met; NOT met
- E. met; NOT met; met
- F. met; met; met
- G. NOT met; met; met

Correct Answer: E

**QUESTION 4**

A Citrix Architect is designing a new XenApp and XenDesktop environment. The IT team would like to deploy Windows 10 persistent VDI and Windows Server 2016 non-persistent hosted shared desktops.

The IT team has used physical servers in the past to host the IT infrastructure but would like to move to a hypervisor solution for the new environment. At the same time, the hardware and storage costs for the new deployment should be minimized where possible.

The IT team has requested there are no company-wide outages during hardware updates and maintenance.

The architect should recommend that failover clusters and live migration be used for \_\_\_\_\_ and that these resource clusters should use \_\_\_\_\_ storage. (Choose the correct option to complete the sentence.)

- A. Citrix infrastructure only; SAN
- B. Citrix infrastructure only; local

- C. all XenApp and XenDesktop components; SAN
- D. all XenApp and XenDesktop components; local
- E. Citrix infrastructure and dedicated desktops only; local

Correct Answer: B

---

#### QUESTION 5

Scenario: While assessing the User Layer, a Citrix Architect finds that most of the internal users connect using corporate-owned laptops, desktop devices, and thin clients. Many of these laptops and desktop devices are running Windows 10, while the remainder of the machines are running Windows 7 and are in the process of being migrated to Windows 10. Some users also connect using personal devices which have Receiver Desktop Lock installed.

Currently, Citrix Receiver is manually installed on any endpoint device added to the company. All these devices use Citrix Receiver version 4.8 and above. The IT team is planning to automate a process to update all the devices with the latest version of Citrix Receiver and to automate another process for automatic installation of Citrix Receiver without incurring extra costs and maintenance.

During the initial testing of the Citrix Receiver Auto-Update feature, the architect observed that the Citrix Receiver Auto-Update feature does NOT work on some of the machines.

Which two reasons could be causing this issue? (Choose two.)

- A. Citrix Receiver was locally installed with administrator-level privileges.
- B. The Group Policy Object for Receiver Auto-Update feature is incorrectly configured in Active Directory.
- C. Citrix Receiver Auto-Update is disabled on machines where Receiver Desktop Lock is installed.
- D. The Citrix Receiver Auto-Update feature needs to be configured before Receiver Desktop Lock is configured.

Correct Answer: BC

[1Y0-402 PDF Dumps](#)

[1Y0-402 Practice Test](#)

[1Y0-402 Exam Questions](#)