1Y0-402^{Q&As}

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/1y0-402.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

![Pass2Lead](https://Pass2Lead.com)
QUESTION 1

Scenario: While assessing the User Layer, a Citrix Architect finds that most of the internal users connect using corporate-owned laptops, desktop devices, and thin clients. Many of these laptops and desktop devices are running Windows 10, while the remainder of the machines are running Windows 7 and are in the process of being migrated to Windows 10. Some users also connect using personal devices which have Receiver Desktop Lock installed.

Currently, Citrix Receiver is manually installed on any endpoint device added to the company. All these devices use Citrix Receiver version 4.8 and above. The IT team is planning to automate a process to update all the devices with the latest version of Citrix Receiver and to automate another process for automatic installation of Citrix Receiver without incurring extra costs and maintenance.

During the initial testing of the Citrix Receiver Auto-Update feature, the architect observed that the Citrix Receiver Auto-Update feature does NOT work on some of the machines.

Which two reasons could be causing this issue? (Choose two.)

A. Citrix Receiver Auto-Update is disabled on machines where Receiver Desktop Lock is installed.

B. The Citrix receiver Auto-Update feature needs to be configured before Receiver Desktop Lock is configured.

C. The user does NOT have local administrative permission on the endpoint device.

D. The local Advanced Preferences within Citrix Receiver were incorrectly configured.

Correct Answer: AD

QUESTION 2

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment. Currently, the

environment is configured with two locations with identical XenDesktop Sites. Each Site has two Delivery

Controllers, two StoreFront servers, and one NetScaler high availability pair. The same applications have

been published from both Sites for all the users. Two Zones (Zone A and Zone B) are configured in each

Site with one Controller in each zone. The Microsoft Exchange server is only accessible from Virtual

Delivery Agent (VDA) machines in Zone A in each Site.

The following access requirements have been identified:

Users should have a single URL when accessing resources from different Sites.

Users should always connect to the datacenter closest to their location.

Applications added to Favorites within Citrix Receiver should be retained when accessed from different

Sites.

Launched applications and desktops should always connect through a local NetScaler.

No duplication of applications published from different Sites.

Microsoft Outlook should always launch in Zone A.

The architect should recommend configuring Optimal Gateway routing on _____across both

locations to ensure that users connect through a local NetScaler. (Choose the correct option to complete

the sentence.)

A. Delivery Controllers

B. StoreFront servers

C. Global Server Load Balancing (GSLB) vServers

D. NetScaler appliances

Correct Answer: B

QUESTION 3

Scenario: A Citrix Architect needs to access a XenApp and XenDesktop environment. The XenApp and XenDesktop diagram in the Exhibit gives details about the current Site and Zone design.

Click the Exhibit button to view the diagram.

Which statement is correct if all the Delivery Controllers in Satellite Zone 2 fail?

A. Virtual Delivery Agent (VDA) machines in Zone 2 will register within the Primary Zone.

B. Virtual Delivery Agent (VDA) machines in Zone 2 will register within Satellite Zone 1.

C. Virtual Delivery Agent (VDA) machines will register using the Local Host Cache

D. Virtual Delivery Agent (VDA) machines in Satellite Zone 2 will NOT register

Correct Answer: D

QUESTION 4

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment The architect has identified the requirements, based on the assessment and early stages of the design

Click the Exhibit button to view the requirements.

![Pass2Lead](https://Pass2Lead.com)
Design Topic	Design Decision
Deployment type	On-premises datacenter
Licensing	XenApp Enterprise edition, concurrent licenses
Max concurrent users	500
Images	• Windows Server 2012 R2 ○ FlexCast model: Published apps
Primary Applications	• Microsoft Office 2016: All users • Adobe Acrobat: All users • Mozilla Firefox: All users

Additionally, the IT team has identified the following general requirements:

The provisioning strategy should be compatible with the planned design decisions.

The provisioning strategy should minimize the steps required to perform image and application updates.

Which three follow-up questions should the architect ask about this environment, based on the planned

design decisions? (Choose three.)

A. How much storage is available for the Virtual Delivery Agent (VDA) machines?

B. What is the VM uplink speed in the current deployment?

C. Is PXE currently being used in the subnets where the Virtual Delivery Agent (VDA) machines will be placed?

D. Will the machines using the images be physical or virtual?

E. Are there any applications which must only be accessed by a subset of users?

Correct Answer: ABC

QUESTION 5

Scenario: A Citrix Architect is designing an environment for a large company. The company has identified

the following user groups and requirements.

Product Managers - Typically, they work from inside the company network but are able to work from home.

They need to use a variety of standard productivity and web-based SaaS applications.

Field Sales Engineers - They frequently work with mobile devices and tend to access the environment

externally. They need access to sales tools and the front-end of the customer database.

Web Developers - Internal and remote workers who use specialized hardware with a graphics card to

handle resource-intensive applications.

Which FlexCast model should the architect assign to Field Sales Engineers?

A. Published Apps

B. Hosted Applications

C. Hosted VDI

D. Published Desktops

Correct Answer: B

1Y0-402 PDF Dumps   1Y0-402 VCE Dumps   1Y0-402 Exam Questions