

1Y0-440^{Q&As}

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1y0-440.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Scenario: A Citrix Architect needs to assess an existing NetScaler configuration. The customer recently found that certain user groups were receiving access to an internal web server with an authorization configuration that does NOT align with the designed security requirements.

Click the Exhibit button view the configured authorization settings for the web server.

Requirements					
<ul style="list-style-type: none"> By default, no connection should have access to network resources unless authorized based on the other requirements. By default, only connections coming from the internal network (192.168.10.0/24) should be permitted to access the web server. The Accountants group is authorized to access URLs with a “.zip” extension; all other users must NOT be authorized for this. The Executives group is authorized to access the web server from inside OR outside the internal network. 					
Configurations					
Name	Type	Bind Point	Action	Priority	Associated Policy Expressions
Item 1	Authorization setting	Global	DENY	N/A	N/A
Item 2	Authorization Policy	NetScaler traffic management virtual server	ALLOW	1	Client.IP.SRC.IN_SUBNET (192.168.10.0/24)
Item 3	Authorization Policy	NetScaler traffic management virtual server	DENY	2	HTTP.REQ.URL.SUFFIX.EQ (“zip”)
Item 4	Authorization Policy	Accountants Group	ALLOW	1	HTTP.REQ.URL.SUFFIX.EQ (“zip”)
Item 5	Authorization Policy	Executives Group	ALLOW	1	Client.IP.SRC.NE (192.168.10.0/24)

Which item should the architect change or remove to align the authorization configuration with the security requirements of the organization?

- A. Item 1
- B. Item 3
- C. Item 4

D. Item 5

E. Item 2

Correct Answer: E

QUESTION 2

Which two features are supported on LbaaSV1? (Choose two.)

A. Cookie Insertion

B. Layer 7 Load Balancing

C. Certificate Bundle

D. Layer 4 Load balancing

E. Server name Indicator

Correct Answer: DE

QUESTION 3

Scenario: A Citrix Architect has set up NetScaler MPX devices in high availability mode with version 12.0.

53.13 nc. These are placed behind a Cisco ASA 5505 Firewall is configured to block traffic using access control lists. The network address translation (NAT) is also performed on the firewall.

The following requirements were captured by the architect during the discussion held as part of the NetScaler security implementation project with the customer's security team:

The NetScaler device:

1.

Should monitor the rate of traffic either on a specific virtual entity or on the device. It should be able to mitigate the attacks from a hostile client sending a flood of requests. The NetScaler device should be able to stop the HTTP, TCP, and DNS based requests.

2.

Needs to protect backend servers from overloading.

3.

Needs to queue all the incoming requests on the virtual server level instead of the service level.

4.

Should provide access to resources on the basis of priority.

5.

Should provide protection against well-known Windows exploits, virus-infected personal computers, centrally managed automated botnets, compromised webservers, known spammers/hackers, and phishing

proxies.

6.

Should provide flexibility to enforce the desired level of security check inspections for the requests originating from a specific geolocation database.

7.

Should block the traffic based on a pre-determined header length, URL length, and cookie length. The device should ensure that characters such as a single straight quote (*); backslash(\), and semicolon (;) are either blocked, transformed, or dropped while being sent to the backend server.

Which two security features should the architect configure to meet these requirements? (Choose two.)

- A. Pattern sets
- B. Rate limiting
- C. HTTP DDOS
- D. Data sets
- E. APPQOE


Correct Answer: BE

Reference: <https://docs.citrix.com/en-us/citrix-adc/12-1/appexpert/appqoe.html> <https://docs.citrix.com/en-us/citrix-adc/12-1/appexpert/rate-limiting.html>

QUESTION 4

Scenario: A Citrix Architect needs to assess an existing NetScaler multi-site deployment. The deployment is using Global Server Load Balancing (GSLB) configured in a parent-child configuration.

Click the Exhibit button to view the diagram of the current GSLB configuration and parent-child relationships, as well as the status of the sites and the connectivity between them.



Based on the displayed configuration and status, Chil_site1 _____ a connection from _____. (Choose the correct option to complete the sentence.)

- A. rejects; SiteP2 and SiteP3; remains a child site of SiteP1
- B. rejects; SiteP3; remains a child site of SiteP1
- C. accepts; SiteP3; becomes its child site
- D. accepts; SiteP2; becomes its child site
- E. does NOT receive; SiteP2 and SiteP3; remains a child site of SiteP1
- F. rejects; SiteP2; remains a child site of SiteP1

Correct Answer: E

QUESTION 5

Scenario: A Citrix Architect needs to design a new NetScaler Gateway deployment to provide secure RDP access to backend Windows machines.

Click the Exhibit button to view additional requirements collected by the architect during the design discussions.

Topic	Requirements
Connections that should receive full VPN access	<ul style="list-style-type: none">• User should be a member of the "Executives" group.• Connections should be using the NetScaler Gateway Plugin.• Connections can come from any IP address source.

To meet the customer requirements, the architect should deploy the RDP proxy through _____, using a _____ solution. (Choose the correct option to complete the sentence.)

- A. ICAProxy; stateless gateway
- B. CVPN; single gateway
- C. CVPN; stateless gateway
- D. ICAProxy; single gateway

Correct Answer: B

[1Y0-440 VCE Dumps](#)

[1Y0-440 Exam Questions](#)

[1Y0-440 Braindumps](#)