

1Z0-063^{Q&As}

Oracle Database 12c: Advanced Administration

Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-063.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You plan to create a new PDB by copying PDB\$SEED.

Which two requirements ensure a successful creation? (Choose two.)

- A. The CDB must have PDB_FILE_NAME_CONVERT configured before executing the command.
- B. A default service for the new PDB name must already exist.
- C. A PDB local administrative user must be granted the DBA role when creating the PDB.
- D. A PDB local administrative user must be specified when creating the PDB.
- E. The CDB, which will contain the PDB, must be in READ WRITE mode.
- F. The CDB must use Oracle Managed Files.

Correct Answer: CE

QUESTION 2

Which three statements are true about Oracle Restart? (Choose three.)

- A. It can be configured to automatically attempt to restart various components after a hardware or software failure.
- B. While starting any components, it automatically attempts to start all dependencies first and in proper order.
- C. It can be configured to automatically restart a database in case of normal shutdown of the database instance.
- D. It can be used to only start Oracle components.
- E. It runs periodic check operations to monitor the health of Oracle components.

Correct Answer: ABE

Reference: http://docs.oracle.com/cd/E18283_01/server.112/e17120/restart001.htm

QUESTION 3

Your database is running in ARCHIVELOG mode. Examine the initialization parameters you plan to set for your database instance.

```
LOG_ARCHIVE_DEST_1 = '\\LOCATION=/disk1/arch\\' LOG_ARCHIVE_DEST_2 = '\\LOCATION=/disk2/3rch\\'  
LOG_ARCHIVE_DEST_3 = '\\LOCATION=/disk3/arch\\' LOG_ARCHIVE_DEST_4 = '\\LOCATION=/disk4/3rch  
MANDATORY\\'
```

Identify the statement that correctly describes these settings.

- A. An online redo log file is not allowed to be overwritten if the archived log file cannot be created in any of the LOG_ARCHIVE_DEST_..n destinations.

- B. Optional destinations cannot use the fast recovery area.
- C. An online redo log file is not allowed to be overwritten if the archived log file cannot be created in the location specified for LOG_ARCHIVE_DEST_4.
- D. These settings work only if LOG__ARCHIVE_MIN_SUCCEED_DEST is set to a value of 4.

Correct Answer: C

QUESTION 4

Automatic Shared Memory Management (ASMM) is enabled for your database instance, but parameters for the managed components are not defined.

You execute this command:

```
SQL> ALTER SYSTEM SET DB_CACHE_SIZE = 100M;
```

Which statement is true?

- A. The minimum size for the standard buffer cache is 100 MB.
- B. The maximum size for the standard buffer cache is 100 MB.
- C. The minimum space guaranteed in the buffer cache for any server process is 100 MB.
- D. The maximum space in the buffer cache that can be released for dynamic distribution is 100 MB.
- E. The minimum size for all buffer caches is 100 MB.

Correct Answer: A

QUESTION 5

Examine the commands executed in CDB\$ROOT of your multitenant container database (CDB) that has multiple pluggable databases (PDB):

```
SQL> CREATE ROLE c##role1 CONTAINER=ALL;  
SQL> GRANT CREATE SESSION, CREATE TABLE TO c##role1 CONTAINER=ALL;  
SQL> CREATE USER c##admin IDENTIFIED BY orcl123;  
SQL> GRANT c##role1 TO c##admin CONTAINER=ALL;  
SQL> GRANT SELECT ON DBA_USERS TO c##role1 CONTAINER=ALL;
```

Which statement is true about granting the select privilege on the DBA_users view to the c##ROLE1 role?

- A. The command fails and gives an error because object privileges cannot be granted to a common user.
- B. The command fails because container is not set to current.
- C. The command succeeds and the common user c##admin can create a session and query the DBA_users view in cdb\$root and all the PDBs.

D. The command succeeds and the common user c##admin can create a session in cdb\$root and all the PDBs, but can only query the dba_users view in cdb\$root.

E. The command succeeds and the common user c##admin can create a session and query the DBA_users view only in cdb\$root.

Correct Answer: C

[1Z0-063 PDF Dumps](#)

[1Z0-063 VCE Dumps](#)

[1Z0-063 Exam Questions](#)