

1Z0-063^{Q&As}

Oracle Database 12c: Advanced Administration

Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-063.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which three statements are true about the SQL*Loader utility? (Choose three.)

- A. It can be used to load data from multiple external files into multiple tables.
- B. It can be used to extract and reorganize data from external files, and then load it into a table.
- C. It can be used to load data from external files using direct path only.
- D. It can be used to create tables using data that is stored in external files.
- E. It can be used to generate unique sequential values in specified columns while loading data.

Correct Answer: ABE

QUESTION 2

Which two statements are true about tablespaces in multitenant container databases (CDBs)? (Choose two.)

- A. Default permanent tablespaces can be shared across pluggable databases (PDBs).
- B. The current container must be set to root to create or modify the default temporary tablespace or tablespace group for a CDB.
- C. Each PDB can have its own default temporary tablespace.
- D. The default permanent tablespace for a PDB can be changed only by a local user with the required permissions.
- E. The amount of space that each PDB can use in a shared temporary tablespace must be set at the CDB level.

Correct Answer: BC

QUESTION 3

Which three statements are true about unplugging a pluggable database (PDB)? (Choose three.)

- A. The PDB must be open in read only mode.
- B. The PDB must be closed.
- C. The unplugged PDB becomes a non-CDB.
- D. The unplugged PDB can be plugged into the same multitenant container database (CDB)
- E. The unplugged PDB can be plugged into another CDB.
- F. The PDB data files are automatically removed from disk.

Correct Answer: BDE

B (not A): The PDB must be closed before unplugging it.

D: An unplugged PDB contains data dictionary tables, and some of the columns in these encode information in an endianness-sensitive way. There is no supported way to handle the conversion of such columns automatically. This means, quite simply, that an unplugged PDB cannot be moved across an endianness difference. E (not F): To exploit the new unplug/plug paradigm for patching the Oracle version most effectively, the source and destination CDBs should share a filesystem so that the PDB's datafiles can remain in place. Reference: Oracle White Paper, Oracle Multitenant

QUESTION 4

Which two statements are true about roles in multitenant container databases (CDBs)? (Choose two.)

- A. Local roles can be granted to local and common users.
- B. A common role can be granted only to a common user.
- C. A common user can create a local role by default in any pluggable database (PDB) that is plugged in to a CDB.
- D. A common role can be granted only system privileges.
- E. The root container can have both local and common roles.
- F. A local role can be assigned to a common role in a PDB.

Correct Answer: AF

QUESTION 5

Which two components are contained only in CDB\$ROOT? (Choose two.)

- A. the unified audit trail
- B. database links between PDBs in the CDB
- C. PDB service names
- D. resource manager plans for each PDB in the CDB
- E. the default TEMP tablespace for the entire CDB

Correct Answer: CE

Reference <https://docs.oracle.com/database/121/CNCPT/cdblogic.htm#CNCPT89268>

[1Z0-063 PDF Dumps](#)

[1Z0-063 Practice Test](#)

[1Z0-063 Study Guide](#)