

# 1Z0-066<sup>Q&As</sup>

Oracle Database 12c: Data Guard Administrator

## Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-066.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which three statements are true about Far Sync instances?

- A. The Data Guard Broker must be used to deploy and manage Far Sync instances.
- B. They enable standby database to be configured at remote distances from the primary without impacting performance on the primary.
- C. A primary database can ship redo directly to multiple Far Sync instances.
- D. They use as spfile, a standby controlfile, and standby redo logs.
- E. They work with any protection level.

Correct Answer: ABD

---

### QUESTION 2

Examine the Data Guard configuration:

```
DGMGRL> show configuration;
```

```
Configuration -Animals
```

```
Protection Mode: MaxAvailability
```

```
Databases:
```

```
dogs- Primary database
```

```
sheep-Logical standby database
```

```
cats- Logical standby database
```

```
Fast-Start Failover: DISABLED
```

```
Configuration Status:
```

```
SUCCESS
```

Which three will be true after a switchover to Sheep?

- A. Cats will be an enabled logical standby database
- B. Cats will be a disabled logical standby database.
- C. Dogs will be a logical standby database.
- D. Dogs will be a physical standby database

E. Sheep will be the primary database.

Correct Answer: ACE

---

### QUESTION 3

You edit the DGConnectIdentifier database property using the edit database set property DGMGRL command Which two are effects of this change?

- A. The fal\_client database initialization parameter on all standby databases is updated with the new value.
- B. The service attribute of the log\_archive\_dest\_n initialization parameter for any database referring to the specified database is updated with the new value.
- C. The fal\_client database initialization parameter for the specified database is updated with the new value
- D. The broker configuration must be disabled and then enabled to use the new connection property.
- E. The service attribute of the log\_archive\_dest\_n initialization parameter referring to all standby databases is updated with the new value

Correct Answer: AB

---

### QUESTION 4

You are required to change the Data Guard Configuration protection mode from MAXPERFORMANCE to MAXAVAILABILITY using Enterprise Manager Cloud Control Which two are true about this change?

- A. If the primary database cannot write its redo to at least one synchronized standby database, then the protection level remains unchanged.
- B. The primary database instance will remain up and running, if it cannot write redo to at least one synchronized standby database.
- C. Transactions will not commit until all redo data needed to recover those transactions are written to the online redo log, and to the standby redo log on at least one synchronizes standby database.
- D. Fast start failover can be enabled when making the change.
- E. Real time apply will be automatically turned on.

Correct Answer: BC

---

### QUESTION 5

Your Data Guard environment has two remote physical standby databases Client applications use the local naming method to connect to the primary database instance. You want applications to automatically connect to the new primary database instance in case of a

switchover or a failover Which will fulfill this requirement?

- A. Create a database service on each standby database that is started automatically by a trigger, when the database role is PRIMARY, modify the connection description used by client applications to include all the standby hosts and connect to the database instance using that service name.
- B. Create a database service on the primary database that is started automatically by a trigger, when the database role is PRIMARY, modify the connection descriptors used by client applications to include all the standby hosts and connect to the database instance using that service name.
- C. Set the INSTANCE\_NAME parameter identically on all databases; modify the connection descriptor on client applications to include all the standby hosts and connect to the database instance using that service name.
- D. Set the DB\_NAME and DB\_UNIQUE\_NAME identical on all databases, modify the connection descriptors on client applications to include all the standby hosts and connect to the database using that service name.

Correct Answer: A

[1Z0-066 VCE Dumps](#)

[1Z0-066 Practice Test](#)

[1Z0-066 Study Guide](#)