

1Z0-066^{Q&As}

Oracle Database 12c: Data Guard Administrator

Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-066.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A Data Guard environment has this configuration and these attributes:

1.
A primary database
2.
A Physical Standby Database named sbdb

3.
The configuration is in maximum availability protection mode.

Then sbdb is converted to a snapshot standby database. When two statements are true?

- A. Sbdb can still apply redo
- B. The recovery point objective increases
- C. The protection mode is lowered to maximum performance
- D. The recovery time objective increases.
- E. Sbdb can still receive redo

Correct Answer: DE

QUESTION 2

Which three factors can influence the rate of redo apply on a physical standby database?

- A. the network latency between the primary and standby databases
- B. the number of archiver processes on the standby database
- C. the number and size of standby redo logs on the primary database
- D. the rate of redo generation on the primary database
- E. the number and size of standby redo logs on the standby database

Correct Answer: ABE

QUESTION 3

You must manually reinstate a database using DGMGRL.

To which database should you connect with DGMGRL before issuing the REINSTATE command and in which state

should the target database be?

- A. The target database should be in NOMOUNT state and DGMGRL should be connected to any database that is a member of the configuration
- B. The target database should be MOUNTED and DGMGRL should be connected to any database that is a member of the configuration
- C. The target database should be MOUNTED and DGMGRL should be connected to the primary database.
- D. The target database should be MOUNTED and DGMGRL should be connected to the target database
- E. The target database should be in NOMOUNT state and DGMGRL should be connected to the primary database

Correct Answer: C

QUESTION 4

There are currently 6 APPLIER and 6 PREPARER processes running and no idle APPLIER processes on your logical standby database. The MAX_SERVERS SQL apply parameter and number of archiver processes are both set to 12. Identify two changes, each of which would allow you to increase the number of APPLIER processes.

- A. Increase the PROCESSES initialization parameter
- B. Increase the value for the MAX_SERVERS SQL apply parameter.
- C. Decrease the number of archiver processes on the standby database. D. increase the PARALLEL_MAX_SERVERER initialization parameter
- D. Decrease the number of PREPARER processes
- E. Increase the RECOVERY_PARALLEUSM initialization parameter

Correct Answer: BE

QUESTION 5

Examine this query and its output: Which are true?

```
SQL> select fs_failover_status, fs_failover_current_target,  
2 fs_failover_observer_present, fs_failover_osever_host  
3 from v$database;  
FS_FAILOVER_STATUS FS_FAILOVER_CURRENT_TARGET  
FS_FAILOVER_OBSERVER_PRESENT FS_FAILOVER_OBSERVER_HOST
```

```
BYSTANDER cats NO  
O17.example.com
```

- A. The observer is not connected to the database on which the query was executed.
- B. Cats is a bystander database.
- C. The observer is connected to the database on which the query was executed.
- D. The observer is currently running on o17.example.com
- E. The observer is not running, but should run on o17.example.com.

Correct Answer: A

[1Z0-066 PDF Dumps](#)

[1Z0-066 VCE Dumps](#)

[1Z0-066 Practice Test](#)