

1Z0-067^{Q&As}

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-067.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You notice performance degradation in your production Oracle 12c database. You want to know what caused this performance difference.

Which method or feature should you use?

- A. Database Replay
- B. Automatic Database Diagnostic Monitor (ADDM) Compare Period report
- C. Active Session History (ASH) report
- D. SQL Performance Analyzer

Correct Answer: B

References: http://docs.oracle.com/cd/E24628_01/server.121/e17635/tdpdt_degrade.htm

QUESTION 2

Examine the backup requirement for your company:

- 1) Every Sunday, a backup of all used data file blocks is performed.
- 2) Every Wednesday and Friday, a backup of all the changed blocks since last Sunday's backup is performed.
- 3) On all the other days, a backup of only the changed blocks since the last day's backup is performed.

Which backup strategy satisfies the requirements?

- A. level 0 backup on Sunday, cumulative incremental backup on Wednesday and Friday, and differential incremental level 1 backup on all the other days
- B. level 0 backup on Sunday, differential incremental backup on Wednesday and Friday, and cumulative incremental level 1 backup on all the other days
- C. full database backup on Sunday, level 0 backup on Wednesday and Friday, and cumulative incremental level 1 backup on all the other days
- D. full database backup on Sunday, level 0 backup on Wednesday and Friday, and differential incremental level 1 backup on all the other days

Correct Answer: A

Multilevel Incremental Backups RMAN can create multilevel incremental backups. Each incremental level is denoted by a value of 0 or 1. A level 0 incremental backup, which is the base for subsequent incremental backups, copies all blocks containing data. You can create a level 0 database backup as backup sets or image copies. The only difference between a level 0 incremental backup and a full backup is that a full backup is never included in an incremental strategy. Thus, an incremental level 0 backup is a full backup that happens to be the parent of incremental backups whose level is greater than 0. A level 1 incremental backup can be either of the following types: A differential

incremental backup, which backs up all blocks changed after the most recent incremental backup at level 1 or 0. A cumulative incremental backup, which backs up all blocks changed after the most recent incremental backup at level 0. Incremental backups are differential by default.

QUESTION 3

The SYS user creates this job:

```
BEGIN
DBMS_SCHEDULER.CREATE_JOB (
  job_name          => 'update_sales',
  job_type          => 'STORED_PROCEDURE',
  job_action        => 'OPS.SALES_PKG.UPDATE_SALES_SUMMARY',
  start_date        => '28-DEC-13 07.00.00 PM Australia/Sydney',
  repeat_interval   => 'FREQ=DAILY;INTERVAL=2',
  end_date          => '20-JAN-14 07.00.00 PM Australia/Sydney',
  comments          => 'New sales job');
END;
/
```

Which two statements are true about this job? (Choose two.)

- A. It executes with the privileges of SYS
- B. It is automatically dropped after the last run
- C. The globalization environment that exist at job creation is used run time
- D. It executes with the privileges of OPS

Correct Answer: AB

QUESTION 4

Examine the following steps of privilege analysis for checking and revoking excessive, unused privileges granted to users:

1.
Create a policy to capture the privileges used by a user for privilege analysis.
2.
Generate a report with the data captured for a specified privilege capture.
3.
Start analyzing the data captured by the policy.
- 4.

Revoke the unused privileges.

5.

Compare the used and unused privileges\ lists.

6.

Stop analyzing the data.

Identify the correct sequence of steps.

A. 1, 3, 5, 6, 2, 4

B. 1, 3, 6, 2, 5, 4

C. 1, 3, 2, 5, 6, 4

D. 1, 3, 5, 2, 6, 4

Correct Answer: B

1. Create a policy to capture the privilege used by a user for privilege analysis.

3. Start analyzing the data captured by the policy.

6. Stop analyzing the data.

2. Generate a report with the data captured for a specified privilege capture.

5. Compare the used and unused privileges\ lists.

4. Revoke the unused privileges.

QUESTION 5

You install "Oracle Grid Infrastructure for a standalone server" on a host on which the orcl1 and orcl2 databases both have their instances running.

Which two statements are true?

A. Both orcl1 and orcl2 are automatically added to the Oracle Restart configuration.

B. All database listeners running from the database home are automatically added to the Oracle Restart configuration.

C. The srvct1 add database command must be used to add orcl1 and orcl2 to the Oracle Restart configuration.

D. The crsct1 start has command must be used to start software services for Oracle Automatic Storage Management (ASM) after the "Oracle Grid Infrastructure for a standalone server" installation is complete.

E. All databases subsequently created by using the Database Configuration Assistant (DBCA) are automatically added to the Oracle Restart configuration.

Correct Answer: CE

https://docs.oracle.com/cd/E18283_01/server.112/e17120/restart001.htm

[Latest 1Z0-067 Dumps](#)

[1Z0-067 PDF Dumps](#)

[1Z0-067 Practice Test](#)