

# 1Z0-068<sup>Q&As</sup>

Oracle Database 12c: RAC and Grid Infrastructure Administration

## Pass Oracle 1Z0-068 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-068.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Examine this command and output:

```
[root@host01 ~]# /sbin/acfsutil snap create snap001 /u01/app/grid/acfsmount/
```

```
acfsutil snap create: Snapshot operation is complete.
```

Examine this command:

```
[root@host01 ~]# /sbin/acfsutil snap create
```

Correct Answer: C

Section: (none)

---

### QUESTION 2

You performed these steps to disable an ADVM volume containing an ACFS file system:

1.

Dismount the file system.

2.

Disable the volume with the ASMCMD voldisable command.

Which two statements are true regarding the actions performed? (Choose two.)

- A. The ACFS file system will be permanently removed from the volume.
- B. The ACFS mount registry with Oracle restart is automatically deleted.
- C. The volume can be enabled and the file system can be mounted back again to access the existing data.
- D. The ACFS file system will be permanently removed from the volume only if the file system is empty.
- E. The disabling of volume does not destroy data in the file system.

Correct Answer: CE

Section: (none)

---

### QUESTION 3

Which three statements are true about fully qualified file names in ASM? (Choose three.)

- A. They are system generated at the time of ASM file creation.

- B. They can be used to reference existing ASM files.
- C. They can be created only if OMF is enabled.
- D. They are the only valid form that can be used for single file creation of a control file.
- E. An alias may be created for an existing file by referring to the fully qualified file name.

Correct Answer: ABE

Section: (none)

Reference: [https://docs.oracle.com/cd/B28359\\_01/server.111/b31107/asmfiles.htm#OSTMG10264](https://docs.oracle.com/cd/B28359_01/server.111/b31107/asmfiles.htm#OSTMG10264)

---

#### QUESTION 4

Which three statements are true about Oracle 12 RAC Database software installations?

- A. It is possible to install RAC database software on a one node cluster.
- B. It is possible to install multiple RAC database 12c software homes on the same cluster.
- C. The RAC database 12c software home and Grid infrastructure homes must be owned by separate OS users.
- D. The Cluster Verification Utility (CLUVFY) must be used to check the cluster before installing the RAC database software.
- E. The Cluster Verification Utility (CLUVFY) must be used to check the cluster after installing the RAC database software.
- F. The RAC database 12c software home and Grid Infrastructure homes must be owned by the same OS user.

Correct Answer: ADF

Section: (none)

A: An Oracle home is the directory in which you install Oracle Database binaries, and from which Oracle Database runs. Use Oracle Appliance Manager (through oakcli commands) to create and manage multiple Oracle homes and databases on Oracle Database Appliance. Oracle Database Appliance supports multiple Oracle Homes including different versions for Oracle Database 11g Release 2, 11gR2 and Oracle Database Release 12c Release 1.

D: You can use Cluster Verification Utility (CVU) to assist you with system checks in preparation for starting an upgrade.

F: The same user that owned the earlier release Oracle Grid Infrastructure software must perform the Oracle Grid Infrastructure 12c Release 1 (12.1) upgrade. Before Oracle Database 11g, either all Oracle software installations were owned by the Oracle user, typically oracle, or Oracle Database software was owned by oracle, and Oracle Clusterware software was owned by a separate user, typically crs.

Reference:

[https://docs.oracle.com/cd/E22693\\_01/doc.12/e55580/dbadmin.htm#CHDJIBEE](https://docs.oracle.com/cd/E22693_01/doc.12/e55580/dbadmin.htm#CHDJIBEE)  
<https://docs.oracle.com/database/121/CWLIN/procstop.htm#CWLIN517>

---

**QUESTION 5**

You administer a three-instance, policy-managed, multitenant RAC database CDB1 with three PDBs:

, PDB\_2, and PDB\_3.

PDB\_1

You want to drop PDB\_3.

Which two statements are true? (Choose two.)

- A. PDB\_3 must be closed on all CDB1 instances.
- B. Manually created services for PDB\_3 are not removed automatically from the OCR when dropping PDB\_3.
- C. CDB1 must be open in restricted mode on all cluster nodes.
- D. PDB\_3 must be open READ ONLY in all CDB1 instances.
- E. Manually created services for PDB\_3 are removed automatically from the OCR when dropping PDB\_3.

Correct Answer: BE

Section: (none)

[1Z0-068 Practice Test](#)

[1Z0-068 Study Guide](#)

[1Z0-068 Exam Questions](#)