

1Z0-068^{Q&As}

Oracle Database 12c: RAC and Grid Infrastructure Administration

Pass Oracle 1Z0-068 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-068.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two statements are true concerning the installation of Oracle Grid Infrastructure 12c when using a Standard Cluster? (Choose two.)

- A. The Clusterware binaries may be installed without installing ASM binaries.
- B. The Grid Infrastructure Management Repository is only required when using ASM.
- C. Specifying the use of Grid Naming Service is optional.
- D. Normal Redundancy ASM Disk Groups used for Clusterware files will contain three voting files regardless of the number of failgroups.
- E. High Redundancy ASM Disk Groups used for Clusterware files will contain two OCRs.

Correct Answer: AD

Section: (none)

QUESTION 2

Which three statements are true about Oracle Flex ASM? (Choose three.)

- A. It always requires a Flex cluster.
- B. Only three ASM instances are supported in Flex ASM.
- C. The SPFILE and password file for ASM are stored by default an ASM disk group.
- D. An ASM instance can run on a leaf node.
- E. A designated network is used for communication between ASM instances and their clients.
- F. ASM clients can fall over to other ASM instances.

Correct Answer: CDF

Section: (none) Reference:

https://books.google.com.pk/books?id=gbp5AAAAQBAJandpg=PA109andlpg=PA109anddq=oracle+ASM+clients+can+fall+over+to+other+ASM+instancesandsource=blandots=6edIbSb9S5andsig=0T6WIZQ7_IJM1GcpVRwdQeR1uUMandhl=enandsa=Xandredir_esc=y#v=onepageandq=oracle%20ASM%20clients%20can%20fall%20over%20to%20other%20ASM%20instancesandf=false

QUESTION 3

Examine this tnsnames entry from a RAC configuration using a SCAN listener:

HR=(DESCRIPTION=

(LOAD_BALANCE =on)

(ADDRESS=(PROTOCOL=TCP)(HOST=cluster01-scan)(PORT=1521))
(CONNECT_DATA=(SERVICE_NAME=HRSRV)))

Which two statements are true about clients using this entry to connect? (Choose two.)

- A. The host name in the tnsnames entry must be changed if nodes are added or removed from the Cluster.
- B. Clients using EZConnect can benefit from connect time load balancing because the tnsnames entry refers to a SCAN listener.
- C. Client connection requests are automatically balanced across all IP addresses defined for the SCAN.
- D. A client connection request is received by a SCAN listener that creates the connection to the least- loaded database instance.
- E. Client connection requests are automatically failed over to another SCAN listener if the chosen SCAN listener is not available.

Correct Answer: BD

Section: (none)

QUESTION 4

Which two statements are true about the UNDROP clause of the ALTER DISKGROUP statement?

- A. It cancels pending drops of disks dropped using the DROP DISKGROUP command.
- B. A disk cannot be undropped as a result of a drop diskgroup.
- C. It automatically unmounts the disks after successfully undropping them.
- D. It is not possible to cancel pending drops of disks dropped using the force option.

Correct Answer: BD

Section: (none)

The UNDROP DISKS clause of the ALTER DISKGROUP statement cannot be used to restore disks that are being dropped as the result of a DROP DISKGROUP statement, or for disks that are being dropped using the FORCE clause.

Reference: https://docs.oracle.com/cd/B28359_01/server.111/b31107/asmdiskgrps.htm

QUESTION 5

Which three statements are true about ASM Cloud File System (ACFS) auditing?

- A. Audit information gathered by each cluster node can be consolidated into the unified ACFS audit trail.
- B. acfsutil audit archive must be used to archive audit files that are larger than 10MB.

- C. acfsutil audit init must be run by a system administrator.
- D. acfsutil audit purge can be run by an audit manager.
- E. acfsutil audit read marks audit files to indicate that it is safe to purge them.

Correct Answer: CDE

Section: (none)

C: The acfsutil audit init command must be run by the system administrator before enabling auditing for any of the audit sources on a file system.

D: Only an audit manager can run the acfsutil audit purge command.

E: acfsutil audit read marks the audit trail to indicate to the audit manager that the log archive file for the current node has been reviewed, backed up as necessary, and is safe to purge.

Incorrect Answers:

B: acfsutil audit archive does not address file size.

References: <https://docs.oracle.com/database/121/OSTMG/GUID-DF1A88B0-E86C-4ABB-BDFD-B06DA8D4CBEC.htm#OSTMG90000>

[1Z0-068 PDF Dumps](#)

[1Z0-068 Study Guide](#)

[1Z0-068 Braindumps](#)