

# 1Z0-072<sup>Q&As</sup>

Oracle Database 12cR2 Administration

## Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-072.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which three are true about Oracle Database backup taken with RMAN?

- A. A whole backup contains all data blocks of all data files.
- B. RMAN cannot backup REDO logs.
- C. A full backup contains all data blocks from one or more data files.
- D. An RMAN image copy can be written only to disk.
- E. Only offline backup are consistent.
- F. RMAN always includes the control file in a backup.

Correct Answer: CDF

---

### QUESTION 2

Which two are true about the roles? (Choose two.)

- A. All privileges and roles granted to a user are enabled by default when the user logs in.
- B. The SET ROLE statement can be used once per session.
- C. The SET ROLE statement enables as well as disables roles in a session.
- D. A role must be disabled before it can be revoked from a user.
- E. The ALTER USER statement must be used to set specific default roles for a user.

Correct Answer: AC

Reference: [https://docs.oracle.com/cd/B19306\\_01/server.102/b14200/statements\\_10004.htm](https://docs.oracle.com/cd/B19306_01/server.102/b14200/statements_10004.htm)

---

### QUESTION 3

The DATA tablespace uses Automatic Segment Space Management.

Examine this query and its output:

```
SQL> SELECT tablespace_name, pct_free  
       FROM user_tables  
       WHERE table_name='EMP';
```

```
TABLESPACE_NAME PCT_FREE  
-----  
DATA            10
```

A block in EMP is 90% full.

At what percentage of free space will INSERT operations into the block again be possible?

- A. 10%
- B. 25%
- C. 50%
- D. 75%
- E. 90%

Correct Answer: A

Reference: [https://docs.oracle.com/cd/A57673\\_01/DOC/server/doc/SCN73/ch3.htm](https://docs.oracle.com/cd/A57673_01/DOC/server/doc/SCN73/ch3.htm)

#### QUESTION 4

Which two are true about conventional path SQL load? (Choose two.)

- A. It does not generate UNDO.
- B. It cannot load data into clustered tables.
- C. It locks objects being processed.
- D. It enforces referential integrity constraints.
- E. It always generates redo.

Correct Answer: AD

#### QUESTION 5

Examine this command and its partial output:

```
LSNRCTL> start LISTENER_1

Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=host01.abc.com ) (PORT=1562)))
Services Summary...
Service " DB01.abc.com " has 1 instance(s).
  Instance " DB01 ", status UNKNOWN, has 1 handler(s) for this service...
The command completed successfully
```

Why does the DB01.abc.com service show unknown status?

- A. The listener does not listen on the default port 1521.
- B. The SID\_LIST\_LISTENER section is missing in the LISTENER.ORA file.
- C. The service is dynamically registered.
- D. The service is statically registered.
- E. The LOCAL\_LISTENER parameter list does not contain LISTENER\_1.

Correct Answer: B

[Latest 1Z0-072 Dumps](#)

[1Z0-072 Exam Questions](#)

[1Z0-072 Braindumps](#)