

1Z0-074^{Q&As}

Upgrade Oracle DBA 11g or 12c to 12c R2

Pass Oracle 1Z0-074 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-074.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

USER1 is an OS user with the password oracle and is only a member of the oinstall group. In the ORCL database, the OS_AUTHEN_PREFIX value is ops\$.

Examine these commands executed by the DBA:

```
SQL> CREATE USER ops$user1 IDENTIFIED externally;
```

```
SQL> GRANT create session TO ops$user1;
```

How can USER1 be given the SYSRAC privilege?

- A. Make User1 a member of the OSDBA group in Linux or the ORA_%HOMENAME%_SYSDBA group in Windows only.
- B. Grant SYSRAC to user1.
- C. Grant SYSRAC to ops\$user1.
- D. Make USER1 a member of the OSRACDBA group in Linux or the ORA_%HOMENAME%_SYSRAC group in Windows.
- E. Grant SYSDBA to ops\$user1

Correct Answer: C

QUESTION 2

Examine these commands executed in the cdb1 container database: Which statement is true about the c##USER1 account?

```
$ sqlplus sys/oracle@cdb1 as sysdba
```

```
SQL> CREATE PROFILE c##prof LIMIT  
      FAILED_LOGIN_ATTEMPTS 4  
      PASSWORD_LIFE_TIME 90  
      PASSWORD_GRACE_TIME 3  
      PASSWORD_LOCK_TIME 2;
```

Profile created.

```
SQL> GRANT SYSDBA TO c##user1 container=all;
```

Grant succeeded.

```
SQL> ALTER USER c##user1 PROFILE c##prof;
```

User altered.

- A. It is locked for two days after the password expires.
- B. It is locked if the password is not changed within three weeks.
- C. It is locked for 90 minutes after four failed login attempts.
- D. It is locked after for consecutive failed login attempts.
- E. It is not affected by the profile because the user has the SYSDBA privilege.

Correct Answer: D

QUESTION 3

Your CDB has a PDB, EMP_PDB.

You successfully execute these commands as the SYSTEM USER in CDB\$ROOT:

```
CREATE USER c##usr1 IDENTIFIED BY new_pwd123 CONTAINER=ALL;  
GRANT CREATE SESSION TO c##usr1;  
CREATE ROLE c##admin CONTAINER=ALL;  
GRANT SELECT ANY TABLE TO c##admin;  
GRANT c##admin TO c##usr1;
```

Which two statements are true about C##USR1? (Choose two.)

- A. It can connect to EMP_PDB and view the data only in tables created by common users.
- B. It can connect to EMP_PDB but cannot view the data in any table in it.
- C. It can connect only to the root.
- D. It is a common user.
- E. It is a local user.

Correct Answer: AE

QUESTION 4

Examine these statements executed in the PROD1 database: Which statements are audited?

```
SQL> CREATE USER C##J_USER IDENTIFIED BY oracle_4U;  
User created.
```

```
SQL> GRANT DBA to C##J_USER;  
Grant succeeded.
```

```
SQL> CREATE AUDIT POLICY AUD_DBA_POL ROLES DBA;  
Audit policy created.
```

```
SQL> AUDIT POLICY AUD_DBA_POL;  
Audit succeeded.
```

C##J_USER now executes these statements while logged in to PROD1:

```
SQL> ALTER SYSTEM SET JOB_QUEUE_PROCESSES=200;  
System altered.
```

```
SQL> ALTER SYSTEM SET JOB_QUEUE_PROCESSES=200;  
System altered.
```

```
SQL> ALTER SYSTEM SWITCH LOGFILES;  
ALTER SYSTEM SWITCH LOGFILES  
*
```

```
ERROR at line 1:  
ORA-01900: LOGFILE keyword expected
```

```
SQL> CREATE USER C##J_USER2 IDENTIFIED BY ORACLE;  
User created.
```

- A. only the CREATE USER statement

- B. only the ALTER SYSTEM statements
- C. only the CREATE USER statement and the first change to JOB_QUEUE_PROCESSES
- D. only the changes to JOB_QUEUE_PROCESSES and the CREATE USER statement
- E. all the statements

Correct Answer: D

QUESTION 5

Which two statements are true about FLEX ASM? (Choose two.)

- A. A database instance on any node can connect to an ASM instance on any node.
- B. A separate ASM network is required.
- C. It is impossible to connect to a database instance on one node if the database password file for the same database is corrupt on another node in the cluster.
- D. Database instances that depend on an ASM instance that is terminated fail over to a node that has a surviving ASM instance.
- E. Database instances that depend on an ASM instance that is terminated connect to a surviving ASM instance.

Correct Answer: DE

[Latest 1Z0-074 Dumps](#)

[1Z0-074 Practice Test](#)

[1Z0-074 Study Guide](#)