

1Z0-083^{Q&As}

Oracle Database Administration II

Pass Oracle 1Z0-083 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-083.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which three are true about performing an Oracle Database install on Linux? (Choose three.)

- A. The runfixup.sh script can install missing RPMs.
- B. The Oracle Preinstallation RPM must be used to configure the Oracle database installation owner, the Oracle Inventory group, and an Oracle administrative privileges group.
- C. It allows you to select the languages supported by the Oracle database server.
- D. It can be done before installing Grid Infrastructure for a Standalone Server.
- E. The Oracle Preinstallation RPM can be used to configure the Oracle database installation owner, the Oracle Inventory group, and an Oracle administrative privileges group.
- F. It can be done after installing Grid Infrastructure for a Standalone Server.
- G. The Oracle database administrator must be granted access to the root operating system account to run root privileged scripts.

Correct Answer: DEF

It's DEF. Linux is an Open Source OS and is very dynamic with Oracle, but access to the root a/c or it's password will always remain limited to Oracle.

QUESTION 2

Your container database, CDB1, has an application container, HR_ROOT, with an application PDB, HR_PDB1.

You have the required privilege to clone HR_PDB1 to container database CDB2, which does not contain HR_ROOT.

Which two are always true? (Choose two.)

- A. CDB1 and CDB2 must be in shared undo mode.
- B. A common user must exist in CDB2 with the CREATE PLUGGABLE DATABASE privilege.
- C. All transactions in HR_PDB1 of CDB1 must commit before the cloning process starts.
- D. Cloning HR_ROOT automatically clones HR_PDB1.
- E. The HR_PDB1 clone created in CDB2 will be in mount state when cloning ends.

Correct Answer: BE

After you create the application PDB, it is in mounted mode, and its status is NEW <https://docs.oracle.com/en/database/oracle/oracle-database/21/multi/creating-application-pdb.html#GUID-88E61123-F651-47D7-9977-B589268EBD29>

QUESTION 3

Which two are true about SQL Performance Analyzer (SPA)? (Choose two.)

- A. It is integrated with the SQL Access Advisor.
- B. It predicts the impact of system changes on SQL workload response time.
- C. It provides before and after execution statistics for each SQL statement in the analysis task
- D. It offers fine-grained analysis of all the SQL statements in the analysis task as a group.
- E. SQL statements that were originally run concurrently are run concurrently by SPA.

Correct Answer: BC

Oracle Real Application Testing ... enables businesses to fully assess the outcome of a system changes in test or production. Oracle Real Application Testing is comprised of the following features: Performance Analyzer (SPA), SPA ...

C:

SQL Performance Analyzer executes the SQL statements captured in the SQL Tuning Set and generates execution plans and execution statistics for each statement

For D , though group (summary) view is shown during analysis, i dont think that what they mean by fine grained

Reference: <https://www.oracle.com/technetwork/database/manageability/spa-ow09-131455.pdf> (4)

QUESTION 4

Which statement describes the significance of the CHANGE FAILURE command in RMAN? (Choose all that apply.)

- A. It is used to change failure priority only for HIGH or LOW priorities.
- B. It is used to execute the advised repair script.
- C. It is used to change failure priority only for the CRITICAL priority.
- D. It is used to explicitly close the open failures.
- E. It is used to inform the database about the repair after the repair script executes.

Correct Answer: AD

QUESTION 5

The persistent configuration settings for RMAN have default for all parameters. Identify four RMAN commands that produce a multi-section backup.

- A. BACKUP TABLESPACE SYSTEM SECTION SIZE 100M;
- B. BACKUP AS COPY TABLESPACE SYSTEM SECTION SIZE 100M;
- C. BACKUP ARCHIVELOG ALL SECTION SIZE 25M;

D. BACKUP TABLESPACE "TEMP" SECTION SIZE 10M;

E. BACKUP TABLESPACE "UNDO" INCLUDE CURRENT CONTROLFILE SECTION SIZE 100M;

F. BACKUP SPFILE SECTION SIZE 1M;

G. BACKUP INCREMENTAL LEVEL 0 TABLESPACE SYSAUX SECTION SIZE 100M;

Correct Answer: ABEG

[1Z0-083 PDF Dumps](#)

[1Z0-083 Practice Test](#)

[1Z0-083 Study Guide](#)