

1Z0-105^{Q&As}

Oracle Linux 6 Advanced System Administration

Pass Oracle 1Z0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Examine this OCFS2 configuration and status: Examine these possible steps:

```
[root@exam3 ~]# service o2cb status

Driver for "configfs": Loaded
Filesystem "configfs": Mounted
Stack glue driver: Loaded
Stack plugin "o2cb": Loaded
Driver for "ocfs2_dlmfs": Loaded
Filesystem "ocfs2_dlmfs": Mounted

Checking O2CB cluster "mycluster": Online
  Heartbeat dead threshold: 31
  Network idle timeout: 30000
  Network keepalive delay: 2000
  Network reconnect delay: 2000
  Heartbeat mode: Local

Checking O2CB heartbeat: Not active

[root@exam3 ~]# fdisk -l /dev/sdb

Disk /dev/sdb: 2147 MB, 2147483648 bytes
255 heads, 63 sectors/track, 261 cylinders
Units = cylinders of 16065 * 512 = 8225280 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disk identifier: 0x294759c6

   Device Boot      Start         End      Blocks   Id  System
   -----

[root@exam2 ~]# mounted.ocfs2 -d

   Device  Stack  Cluster  F  UUID                               Label

1. mkfs.ocfs2 -F -b 1K -C 4K -L disk1 --cluster-name=mycluster --cluster-
stack=o2cb /dev/sdb1
2. mkfs.ocfs2 -T ocfs2 -F -b 1K -C 4K -L disk1 --cluster-name=mycluster --cluster-
stack=o2cb /dev/sdb
3. Create the partition /dev/sdb1 on device /dev/sdb
4. mount.ocfs2 -L disk1 /shared on both nodes
5. service o2cb online
6. o2cb online
```

Identify the minimum number of steps, in the correct order, to create a local heartbeat OCFS2 file system on the sdb disk and mount it on the existing /shared mount point.

- A. 2, 4
- B. 3, 1, 4

- C. 2, 4, 6
- D. 2, 4, 5
- E. 3, 1, 5, 4
- F. 3, 1, 4, 6

Correct Answer: F

QUESTION 2

Examine the output displayed on a DHCP server:

```
# cat /etc/dhcp/dhcpd.conf
subnet 192.168.100.0 netmask 255.255.255.0 {
    range 192.168.100.100 192.168.100.200;
}

host host201 {
    hardware ethernet 00:0C:29:B9:07:41;
    fixed-address 192.168.100.201;
}
```

All addresses in RANGE have been leased and have not yet expired.

An additional client, other than HOST201, requests a lease on the 192.168.100.0 subnet from the DHCP server.

What is the outcome of the request for this lease?

- A. The request always fails.
- B. The request succeeds if the HOST201 lease is currently not in use.
- C. The request succeeds as long as the HOST201 lease was never used.
- D. The request succeeds if at least one lease in RANGE has been granted to a host that is currently offline.

Correct Answer: B

QUESTION 3

What are two functions of template scripts? (Choose two.)

- A. creating and preparing a root file system for a container
- B. starting the container to test that it works

- C. cloning an existing container to a new instance
- D. migrating the container to a new machine
- E. creating the configuration file for the container

Correct Answer: CE

Reference: https://docs.oracle.com/cd/E37670_01/E37355/html/ol_otmpl_lxc.html

QUESTION 4

You have a btrfs file system:

```
# btrfs filesystem show
Label: 'Btrfs'  uuid: 7bfe3239-47ee-442b-b9f8-49f88b6b1be4
Total devices 2 FS bytes used 200.37MB
devid    2 size 4.88GB used 1.51GB path /dev/sdd
devid    1 size 4.88GB used 1.51GB path /dev/sdc
```

You have mounted devices:

```
# df -h
Filesystem              Size  Used Avail Use% Mounted on
/dev/mapper/vg_exam1-LogVol_system
                        9.6G  3.3G  3.9G  46% /
tmpfs                   499M    0  499M   0% /dev/shm
/dev/sda1                485M   77M  384M  17% /boot
```

You have an unmounted mount point for the btrfs file system:

```
# ls -all /btrfs
total 0
drwxr-xr-x. 1 root root  0 Aug 12 10:17 .
dr-xr-xr-x. 1 root root 276 Aug 12 10:36 ..
```

Which option represents the correct order to create subvolume DocumentsSV mounted on the new mount point /Documents?

1.

btrfs subvolume create /btrfs/DocumentsSV

2.

mkdir /btrfs/DocimentsSV

3.

mkdir /Documents

4.

mount LABEL=Btrfs /btrfs

5.

mount /btrfs/DocumentsSV /Documents/

6.

mount LABEL=Btrfs -o subvol=DocumentsSV /Documents

7.

btrfs subvolume create /Documents

A. 3, 4, 7, 5

B. 4, 1, 3, 6

C. 2, 4, 7, 6

D. 4, 2, 3, 5

Correct Answer: A

Reference: https://docs.oracle.com/cd/E37670_01/E37355/html/ol_use_case3_btrfs.html

QUESTION 5

Which statement is true about the O2CB cluster service?

A. Local heartbeats are started during the startup of the O2CB cluster service.

B. The service o2cb configure command is used to configure the OCFS2 cluster and all nodes referenced in the /etc/ocfs2/cluster.conf config file.

C. The service o2cb configure command is used to configure the cluster stack and cluster timeout values.

D. Cluster timeout values are stored in the /etc/ocfs2/cluster.conf file.

Correct Answer: B

[Latest 1Z0-105 Dumps](#)

[1Z0-105 Exam Questions](#)

[1Z0-105 Braindumps](#)