

# 1Z0-1072-21<sup>Q&As</sup>

Oracle Cloud Infrastructure 2021 Architect Associate

## Pass Oracle 1Z0-1072-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-1072-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which two statements are true about restoring a volume from a block volume backup in Oracle Cloud Infrastructure Block Volume service?

- A. You can restore a volume from any full volume backup but not from an Incremental backup.
- B. You can only restore a volume to the same availability domain in which the original block volume resides.
- C. You can restore a block volume backup to a larger volume size.
- D. You can restore a volume to any availability domain within the same region where the backup is stored.
- E. You can restore only one volume from a manual block volume backup.

Correct Answer: CD

Reference <https://docs.cloud.oracle.com/enus/iaas/Content/Block/Tasks/restoringavolumefromabackup.htm>

---

### QUESTION 2

A new employee has just started working for your company. You create an Oracle Cloud Infrastructure user account for this employee, following which they are able to log in, but still cannot create any resources.

What should you do to resolve this?

- A. Send the employee API Signing Keys to log in.
- B. Delete the account and create another one.
- C. Make sure that the employee is logging in to the Oracle Cloud Infrastructure account from your corporate network only.
- D. Add the employee to a group with policies to grant access to relevant resources.

Correct Answer: D

---

### QUESTION 3

Which two statements are true about data guard service on DB Systems in Oracle Cloud Infrastructure (OCI)?

- A. Data guard implementation requires two DB Systems, one running the primary database on a virtual machine and the standby database running on bare metal.
- B. Data guard implementation requires two DB Systems, one containing the primary database and one containing the standby database.
- C. Data guard configuration on the OCI is limited to a virtual machine only.

D. Both DB Systems must use the same VCN, and port 1521 must be open.

Correct Answer: BD

---

#### QUESTION 4

Which of the following statements is true about the Oracle Cloud Infrastructure (OCI) Object Storage serverside encryption?

- A. Encryption of data encryption keys with a master encryption key is optional.
- B. Customer-provided encryption keys are always stored in OCI Vault service.
- C. Encryption is enabled by default and cannot be turned off.
- D. Each object in a bucket is always encrypted with the same data encryption key.

Correct Answer: B

Reference: <https://docs.cloud.oracle.com/en-us/iaas/Content/Object/Tasks/usingyourencryptionkeys.htm>

---

#### QUESTION 5

Which two are true for achieving High Availability on Oracle Cloud Infrastructure? (Choose two.)

- A. Store your database across multiple regions so that half of the data resides in one region and the other half resides in another region.
- B. Attach your block volume from Availability Domain 1 to a compute instance in Availability Domain 2 (and vice versa) so that they are highly available.
- C. Configure your database to have Data Guard in another Availability Domain in Sync mode within a region.
- D. Store your database files on Object Storage so that they are available in all Availability Domains in all regions.
- E. Distribute your application servers across all Availability Domains within a region.

Correct Answer: CE

[Latest 1Z0-1072-21 Dumps](#)

[1Z0-1072-21 PDF Dumps](#)

[1Z0-1072-21 Study Guide](#)