

# 1Z0-1072-21<sup>Q&As</sup>

Oracle Cloud Infrastructure 2021 Architect Associate

## Pass Oracle 1Z0-1072-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-1072-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which option lists Virtual Cloud Networks (VCNs) that can be peered?

- A. VCN A (172.16.0.0/24) and VCN B (172.16.0.0/28)
- B. VCN A (10.0.0.0/16) and VCN B (10.1.0.0/16)
- C. VCN A (10.0.2.0/16) and VCN B (10.0.2.0/25)
- D. VCN A (10.0.0.0/16) and VCN B (10.0.16.0/24)

Correct Answer: B

---

### QUESTION 2

In which language are Terraform and Terraform providers written?

- A. Python
- B. Go
- C. C
- D. Ruby

Correct Answer: B

References: <https://www.terraform.io/docs/extend/writing-custom-providers.html>

---

### QUESTION 3

You have deployed a compute instance (VM.Standard2.24) to run an Oracle database. With this set up, you run into some performance issues and want to leverage an OCI Dense IO shape (VM.DenseIO2.24), with which you get 25.6 TB local NVMe SSD. You do not want to lose the configuration changes you made to the instance. Which of the following TWO steps ARE NOT required to make this transition?

- A. Terminate the VM.Standard2.24 instance and do not preserve the boot volume
- B. Create a new instance using the VM.Dense102.24 shape using the preserved boot volume and move the Oracle Database data to NVMe disks
- C. Terminate the VM.Standard2.24 instance and preserve the boot volume
- D. Create a new instance using a VM.DenseIO2.24 shape using the preserved boot volume and move the Oracle Database data to block volumes

Correct Answer: AD

You can permanently terminate (delete) instances that you no longer need. Any attached VNICs and volumes are automatically detached when the instance terminates. Eventually, the instance's public and private IP addresses are released and become available for other instances. By default, the instance's boot volume is deleted when you terminate the instance, however you can preserve the boot volume associated with the instance, so that you can attach it to a different instance as a data volume, or use it to launch a new instance. Dense I/O Shapes Designed for large databases, big data workloads, and applications that require high-performance local storage. DenseIO shapes include locally-attached NVMe-based SSDs. so once you create the VM.DenseIO you need to move the Database to locally-attached NVMe-based SSDs

---

#### QUESTION 4

Which two components cannot be deleted in your Oracle Cloud Infrastructure Virtual Cloud Network? (Choose two.)

- A. Service gateway
- B. Default security list
- C. Routing gateway
- D. Default route table
- E. Default subnet

Correct Answer: BD

Reference: <https://www.oracle.com/a/ocom/docs/vcn-deployment-guide.pdf> (4)

---

#### QUESTION 5

What does Terraform use to create, manage, and manipulate infrastructure resources?

- A. resources
- B. provisioner
- C. instances
- D. provider

Correct Answer: D

The Oracle Cloud Infrastructure provider is used to interact with the many resources supported by the Oracle Cloud Infrastructure. The provider needs to be configured with credentials for the Oracle Cloud Infrastructure account.

[1Z0-1072-21 PDF Dumps](#)

[1Z0-1072-21 VCE Dumps](#)

[1Z0-1072-21 Study Guide](#)