

1Z0-148^{Q&As}

Oracle Database: Advanced PL/SQL

Pass Oracle 1Z0-148 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-148.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Examine this code: What will be the outcome with SERVEROUTPUT enabled?

```
CREATE PACKAGE measure IS
  SUBTYPE m_val IS NUMBER(10, 2);
  PROCEDURE calc_total (length IN m_val, extra_len IN OUT m_val, tot_length OUT
m_val);
END measure;

CREATE PACKAGE BODY measure IS
  PROCEDURE calc_total (length IN m_val, extra_len IN OUT m_val, tot_length OUT
m_val) IS
  BEGIN
    DBMS_OUTPUT.PUT_LINE ('LENGTH : ' || length);
    DBMS_OUTPUT.PUT_LINE ('EXTRA_LEN : ' || extra_len);
    tot_length := (length + extra_len);
  END;
END measure;

DECLARE
  total_len1 NUMBER;
  extra_1 measure.m_val;
BEGIN
  extra_1 := 15.247;
  measure.calc_total (100.1254, extra_1, total_len1);
  DBMS_OUTPUT.PUT_LINE ('TOTAL LENGTH : ' || total_len1);
END;
```

- A. The PL/SQL block will fail with a runtime exception.
- B. LENGTH : 100.13 EXTRA_LEN : 15.25 TOTAL LENGTH : 115.38
- C. LENGTH : 100.1254 EXTRA_LEN : 15.247 TOTAL LENGTH : 115.37
- D. LENGTH : 100.1254 EXTRA_LEN : 15.25 TOTAL LENGTH : 115.38
- E. LENGTH : 100.1254 EXTRA_LEN : 15.25 TOTAL LENGTH : 115.3754

Correct Answer: A

QUESTION 2

Which two statements are correct about the collections before v3. DELETE is executed?

```
DECLARE
  TYPE ntb1 IS TABLE OF VARCHAR2 (20);
  v1 ntb1 := ntb1 ('hello', 'world', 'test');
  TYPE ntb2 IS TABLE OF ntb1 INDEX BY PLS_INTEGER;
  v3 ntb2;
BEGIN
  v3 (31) := ntb1 (4, 5, 6);
  v3 (32) := v1
  v3 (33) := ntb1 (2,5,1);
  v3 (31) := ntb1 (1,1);
  v3.DELETE;
END;
```

- A. The values of v3(31) (2) and v3 (33) (2) are identical.
- B. The value of v3 (31) (3) is 6.
- C. The value of v3 (31) (1) and v3 (33) (3) are identical,
- D. The value of v3 (31) (1) is "hello".
- E. The values of v3 (32) (2) and v1 (2) are identical.

Correct Answer: CE

QUESTION 3

In which two situations is the body of a result-cached function executed? (Choose two.)

- A. if the memory allocated for the result cache is increased
- B. if a session on this database instance invokes the function with the same parameter values
- C. if the first time a session on this database instance invokes the function with a parameter value
- D. if a session executes a data manipulation language (DML) statement on a table or view that was specified in the RELIES_ON clause of a result-cached function

Correct Answer: CD

QUESTION 4

DATA_FILES is a directory object that contains the DETAILS.TXT text file.

You have the required permissions to access the directory object.

You create a table using the following command:

```
CREATE TABLE clob_tab(col2 CLOB);
```

View the Exhibit and examine the PL/SQL block that you execute for loading the external text file into the table that currently has no rows. The PL/SQL block results in an error.

What correction must be done to ensure the PL/SQL block executes successfully?

```
DECLARE
  a_clob CLOB := EMPTY_CLOB();
  a_bfile BFILE := BFILENAME('DATA_FILES', 'details.txt');
  n NUMBER;
  l_out CLOB;
BEGIN
  INSERT INTO clob_tab(col2) VALUES(empty_clob());
  DBMS_LOB.FILEOPEN(a_bfile);
  DBMS_LOB.LOADFROMFILE(a_clob, a_bfile,
                        DBMS_LOB.GETLENGTH(a_bfile));
  DBMS_LOB.FILECLOSE(a_bfile);
  COMMIT;
  SELECT col2 INTO l_out FROM clob_tab;
  n := DBMS_LOB.GETLENGTH(l_out);
  DBMS_OUTPUT.PUT_LINE(n);
END;
```

- A. The L_OUT variable must be initialized to an empty locator.
- B. The L_OUT variable has to be declared as a temporary LOB.
- C. The A_CLOB variable has to be declared as a temporary LOB.
- D. The clause RETURNING col2 INTO a_clob should be added to the INSERT statement to correctly initialize the locator.

Correct Answer: D

QUESTION 5

Which two statements about the PL/SQL hierarchical profiler are true?

- A. Access it using the DBMS_PROFILER package.
- B. Access it using the DBMS_HPROF package.
- C. Profiler data is recorded in tables and published in HTML reports.
- D. It is only accessible after a grant of the CREATE PROFILE privilege.
- E. It helps you identify subprograms that are causing bottlenecks in application performance.

Correct Answer: BE

Reference: https://docs.oracle.com/cd/B28359_01/appdev.111/b28370/tuning.htm#LNPLS01214

[1Z0-148 VCE Dumps](#)

[1Z0-148 Study Guide](#)

[1Z0-148 Exam Questions](#)