

1Z0-447^{Q&As}

Oracle GoldenGate 12c Implementation Essentials

Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-447.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You must locate the next good record header in a Logdump file. How should you do this?

- A. Logdump >SCANFORGHDR
- B. Logdump > GHDR ON
- C. Logdump > SCANFORENDTRANS
- D. Logdump > SCANFORHEADER

Correct Answer: D

Reference: <https://docs.oracle.com/goldengate/c1230/gg-winux/GLOGD/using-logdumputility.htm#GLOGD108>

QUESTION 2

With BATCHSQLenabled, what causes a Replicat to use normal mode operation?

- A. statements with rows between 8k and 24k in length
- B. when BATCHSQLand GROUPTRANSOPSCOEXIST
- C. statements which cause errors
- D. when server memory

Correct Answer: B

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg_parameters011.htm#GWURF404

QUESTION 3

You are running multiple installations of Oracle GoldenGate on the same Windows server. How can you differentiate the different Manager services?

- A. Create a GLOBALS file for each installation and use the MGRSERVNAMEparameter, with a unique name.
- B. Include the parameter SERVICENAME in each Manager, with a unique name.
- C. Accept the default service name and manually edit within the Services applet.
- D. Multiple Manager services are not allowed on the same Windows server.

Correct Answer: A

Reference: http://www.dba-oracle.com/t_goldengate_parameter_files.htm

QUESTION 4

Which combination of DBMS, Extract, and GoldenGate version is required to avoid using a DDL trigger?

- A. Oracle Database 11.2.0.3 or greater, Integrated Extract, and GoldenGate 12.1 or greater
- B. any version of Oracle Database, Integrated Extract, and GoldenGate 11.2 or greater
- C. Oracle Database 11.2.0.4 or greater, Integrated Extract, and GoldenGate 12.1 or greater
- D. Oracle Database 12c or greater, Integrated Extract, and GoldenGate 11.2 or greater

Correct Answer: C

QUESTION 5

You want to generate an extract file or trail in a non-GoldenGate canonical format like those used in the Initial Load file-to-database utility. How should you configure GoldenGate in order to accomplish this?

- A. Configure Replicat with the FORMATASCII SQLLOADER OPTION.
- B. Configure Extract with the FORMATSQ SQLLOADER OPTION.
- C. Configure Extract with the FORMATASCII SQLLOADER OPTION.
- D. Configure Replicat with the FORMATXML OPTION.

Correct Answer: C

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_initsync.htm#GWUAD546

[1Z0-447 PDF Dumps](#)

[1Z0-447 Exam Questions](#)

[1Z0-447 Braindumps](#)