

# 1Z0-447<sup>Q&As</sup>

Oracle GoldenGate 12c Implementation Essentials

## Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-447.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which three are the responsibility of the MGR process? (Select three.)

- A. Process management
- B. Trail File management
- C. Data movement
- D. Receive or route requests from the UI E. Trigger execution

Correct Answer: ABC

---

**QUESTION 2**

With BATCHSQLenabled, what causes a Replicat to use normal mode operation?

- A. statements with rows between 8k and 24k in length
- B. when BATCHSQLand GROUPTRANSOPSCOEXIST
- C. statements which cause errors
- D. when server memory

Correct Answer: B

Reference: [https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg\\_parameters011.htm#GWURF404](https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg_parameters011.htm#GWURF404)

---

**QUESTION 3**

You want to generate an extract file or trail in a non-GoldenGate canonical format like those used in the Initial Load file-to-database utility. How should you configure GoldenGate in order to accomplish this?

- A. Configure Replicat with the FORMATASCII SQLLOADER OPTION.
- B. Configure Extract with the FORMATSQ SQLLOADER OPTION.
- C. Configure Extract with the FORMATASCII SQLLOADER OPTION.
- D. Configure Replicat with the FORMATXML OPTION.

Correct Answer: C

Reference: [https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu\\_initsync.htm#GWUAD546](https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_initsync.htm#GWUAD546)

---

**QUESTION 4**

You have a source table with a PRODUCT\_ID column and a target table with PRODUCT\_DESCRIPTION column. On the target database, there is a lookup table containing product codes and corresponding descriptions.

What should you use to look up the PRODUCT\_DESCRIPTION for each transaction?

- A. SQLEXEC ( )
- B. DBLOOKUP ( )
- C. DBLOGIN ( )
- D. SQLLOOKUP ( )

Correct Answer: A

---

**QUESTION 5**

You want to map exception to an exceptions table using the MAPEXCEPTION option of the MAP parameter. When should you proceed?

- A. when the names of both the source and target tables in the MAP statement are wildcarded
- B. when there is a unique restriction on the exception table
- C. when there is a primary key on the exception table
- D. when there is a failed operation logged on the source table

Correct Answer: A

Reference: [https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu\\_errorhandling.htm#GWUAD502](https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_errorhandling.htm#GWUAD502)

[1Z0-447 PDF Dumps](#)

[1Z0-447 Practice Test](#)

[1Z0-447 Braindumps](#)