

1Z0-590^{Q&As}

Oracle VM 3.0 for x86 Essentials

Pass Oracle 1Z0-590 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-590.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What information is required to connect to a YUM repository from Oracle Template Builder?

- A. the URL of the YUM repository only
- B. the URL of the YUM repository and a SHA5 key from Oracle for the repository
- C. the name and URL of the YUM repository, along with the user name and password for the YUM server's administrator
- D. the name of the YUM repository only

Correct Answer: D

QUESTION 2

When using NFS, what technology is used to control locking on the NFS mount?

- A. Oracle VM uses the same DLM (distributed lock manager) for NFS as it does for OCFS2 partitions.
- B. The standard NFS drivers are sufficient to properly lock files in an NFS repository.
- C. Oracle VM ships with the IO-EMU drivers, which provide proper locking for files on an NFS repository.
- D. Oracle VM ships with a DM-NFS server, which runs on the master pool server and handles distributed file locking for an NFS repository.

Correct Answer: A

QUESTION 3

Which command will add eth0 to the bridge xenbr0?

- A. brctl addif xenbr0 eth0
- B. brctl addbr xenbr0 eth0
- C. ifconfig add xenbr0 eth0
- D. netstat -a xenbr0 eth0
- E. if up xenbr0 -a eth0

Correct Answer: B

QUESTION 4

In Oracle VM 2.2.x, what directory will the root repository be symbolically linked to on each Oracle VM Server attached to a storage pool?

- A. /OVS3
- B. /var/ovs/mount/root
- C. /var/ovs/mount/OVSROOT
- D. /OVSROOT
- E. /var/OVS
- F. /opt/ovs

Correct Answer: E

Explanation:

The /OVS directory is the cluster root and is a symbolic link mounted to the /var/ovs/mount/uuid directory. For example, the mount command might display something similar to: # mount example.com:/OVS on /var/ovs/mount/F4135C096045458195057412169071E5 type nfs (rw,addr=192.168.2.20) And the ls command might display something similar to: # ls -l /OVS lrwxrwxrwx 1 root root 47 Sep 18 16:15 /OVS -> /var/ovs/mount/F4135C096045458195057412169071E5

QUESTION 5

What command will show the current status of all Oracle VM Agent components?

- A. service ovs status
- B. xm show ovs-agent
- C. service ovs-agent status
- D. repos.py -1
- E. xm dmesg

Correct Answer: C

[1Z0-590 PDF Dumps](#)

[1Z0-590 VCE Dumps](#)

[1Z0-590 Brindumps](#)