

1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given:

```
public class Test {  
    // line n1  
}
```

What is the result?

- A. myStr: 7007, myNum: 7007
- B. Error
- C. myStr: 9009, myNum: 7007
- D. myStr: 7007, myNum: 9009

Correct Answer: C

```
package p1;  
public class App {  
    public static void main(String[] args) {  
        System.out.println("Java");  
    }  
}
```

and of Test.java:

```
package p1.p2;  
public class Test {}
```

QUESTION 2

Given the code fragment:

```
int[] array = {1, 2, 3, 4, 5};
```

And given the requirements:

Process all the elements of the array in the order of entry. Process all the elements of the array in the

reverse order of entry. Process alternating elements of the array in the order of entry.

Which two statements are true?

- A. Requirements 1, 2, and 3 can be implemented by using the enhanced for loop.
- B. Requirements 1, 2, and 3 can be implemented by using the standard for loop.
- C. Requirements 2 and 3 CANNOT be implemented by using the standard for loop.
- D. Requirement 1 can be implemented by using the enhanced for loop.
- E. Requirement 3 CANNOT be implemented by using either the enhanced for loop or the standard for loop.

Correct Answer: DE

QUESTION 3

Given the code snippet from a compiled Java source file:

```
1 public class Main {
2
3     File IO Status
4     all io completed
5
6
7
8     public void initialize(int x, int y) {
9         this.x = x * x;
10        this.y = y * y;
11    }
12
13    public static void main(String[] args) {
14        int x = 9, y = 5;
15        Test obj = new Test(x, y);
16        System.out.print(x + " " + y);
17    }
18 }
```

```
Java(TM) SE Runtime Environment (build 1.8.0_31-b13)
Java HotSpot(TM) 64-Bit Server VM (build 25.31-b07, mixed mode)
> javac -classpath ./run_dir/junit-4.12.jar:./run_dir/hamcrest-core-1.3.jar:./run_dir/json-simple-1.1.1.jar -d . Main.java
> java -classpath ./run_dir/junit-4.12.jar:./run_dir/hamcrest-core-1.3.jar:./run_dir/json-simple-1.1.1.jar Main
9 5
```

and this output:

```
int wd = 0;
String days[] = {"sun", "mon", "wed", "sat"};
for (String s:days) {
    switch (s) {
        case "sat":
        case "sun":
            wd -= 1;
            break;
        case "mon":
            wd -= 1;
            break;
        case "wed":
            wd += 2;
    }
}
```

Which command should you run to obtain this output?

- A. java MyFile 1 2 2
- B. java MyFile 2
- C. java MyFile 1 2 3 4
- D. java MyFile 2 2

Correct Answer: A

QUESTION 4

Given:

```
String[] strs = new String[2];
int idx = 0;
for (String s : strs) {
    strs[idx].concat(" element " + idx);
    idx++;
}
for (idx = 0; idx < strs.length; idx++) {
    System.out.println(strs[idx]);
}
```

What is the result?

```
interface Readable {  
    public void readBook();  
    public void setBookMark();  
}  
  
abstract class Book implements Readable { // line n1  
    public void readBook() { }  
    // line n2  
}  
  
class EBook extends Book { // line n3  
    public void readBook() { }  
    // line n4  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: B

QUESTION 5

Given:

```
public class TestLoop1 {  
    public static void main(String[] args) {  
        int a = 0, z=10;  
        while (a  
            a++;  
            --z;  
        }  
        System.out.print(a + " : " + z);  
    }  
}
```

What is the result?

A. 5 : 5

B. 6 : 4

C. 6 : 5

D. 5 : 4

Correct Answer: A

[Latest 1Z0-808 Dumps](#)

[1Z0-808 PDF Dumps](#)

[1Z0-808 Exam Questions](#)