

1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given the code fragments: What is the result?

```
public static void main (String [ ] args) {  
    int [] stack = {10,20,30};  
    int size = 3;  
    int dx = 0;  
    /*line n1 */  
    System.out.print ("The Top element: " + stack [idx] );  
}
```

- A. Compilation fails only at line n2.
- B. RTool::export Tool::export
- C. Tool::export Tool:export
- D. Compilation fails only at line n1.
- E. Compilation fails at both line n1 and line n2.

Correct Answer: E

QUESTION 2

Given the code fragment:

```
public class X implements Z {
    public String toString() {
        return "X ";
    }
    public static void main(String[] args) {
        Y myY = new Y();
        X myX = myY;
        Z myZ = myX;
        System.out.print(myX);
        System.out.print((Y)myX);
        System.out.print(myZ);
    }
}

class Y extends X {
    public String toString() {
        return "Y ";
    }
}
```

Which code fragment, when inserted at line 9, enables the code to print true?

- A. String str2 = str1;
- B. String str2 = new String (str1);
- C. String str2 = sb1. toString ();
- D. String str2 = "Duke";

Correct Answer: A

QUESTION 3

Which two array initialization statements are valid? (Choose two.)

- A. int array[] = new int[3] {1, 2, 3};
- B. int array[] = new int[3]; array[0] = 1; array[1] = 2; array[2] = 3;
- C. int array[3] = new int[] {1, 2, 3};
- D. int array[] = new int[3]; array = {1, 2, 3};
- E. int array[] = new int[] {1,2,3};

Correct Answer: BE

Reference: <https://stackoverflow.com/questions/1200621/how-do-i-declare-and-initialize-an-array-in-java>

QUESTION 4

Given the code fragments: What is the result?

```
interface Contract{ }
class Super implements Contract{ }
class Sub extends Super {

public class Ref {
    public static void main(String[] args) {
        List objs = new ArrayList();

        Contract c1 = new Super();
        Contract c2 = new Sub(); // line n1
        Super s1 = new Sub();

        objs.add(c1);
        objs.add(c2); // line n2
        objs.add(s1);

        for(Object itm: objs) {
            System.out.println(itm.getClass().getName());
        }
    }
}
```

- A. Super Sub Sub
- B. Contract Contract Super
- C. Compilation fails at line n1
- D. Compilation fails at line n2

Correct Answer: D

QUESTION 5

Given: Which statement is true?

```
class P1 {}
class P2 extends P1 implements I1 {}
interface I1 {}
```

- A. The program executes and prints:
500.0
- B. Commenting line 16 enables the program to print: Thank You!

500.0

C. Commenting line 13 enables the program to print: Thank You!

500.0

D. The program executes and prints: Thank You!

500.0

Correct Answer: B

[Latest 1Z0-808 Dumps](#)

[1Z0-808 Study Guide](#)

[1Z0-808 Exam Questions](#)