

1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

```
13  
14 public class Test {  
15     public static void main (String[] args) {  
16         int value = 10;  
17         int a = ++value;  
18         int b = value;  
19         int c = value++;  
20         if (a <= b && a <= c) {  
21             if (b <= c) {  
22                 a = ++b;  
23             } else {  
24                 a = ++c;  
25             }  
26         }  
27         System.out.println(a);  
28     }  
29 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.16 sec(s), Memory: 30296 kilobyte(s)

12

Given the code fragment:

```
String inputFromConsole = " betaTEST ";  
String cleanedInput;  
cleanedInput = inputFromConsole.toUpperCase();  
cleanedInput = cleanedInput.trim();  
System.out.println("[ " + cleanedInput + " ]");
```

What is the result?

A. [BETATEST]

B. [betaTest]

C. [betaTest]

D. [BETATEST]

Correct Answer: D

```
13  
14 public class Test {  
15     public static void main (String[] args) {  
16         String inputFromConsole = " betaTEST ";  
17         String cleanedInput;  
18         cleanedInput = inputFromConsole.toUpperCase();  
19         cleanedInput = cleanedInput.trim();  
20         System.out.println("[ " + cleanedInput + " ]");  
21     }  
22 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.19 sec(s), Memory: 32340 kilobyte(s)

[BETATEST]

QUESTION 2

Given the classes:

Apple.java:

```
package fruits;
class Apple {
    public void getApple () { }
}
```

Salad.java:

```
package food;
// line n1
class Salad {
    Apple apple = new Apple (); // line n2
    public void prepareSalad {
        apple.getApple ();
    }
}
```

Which two modifications, independently, enable the Salad.java file to compile?

- A. Replace line n1 with `import fruits.Apple.getApple();`
- B. Replace line n1 with `import fruits.Apple;`
- C. Replace line n1 with `import fruits;`
- D. Replace line n2 with `fruits.Apple apple = new Apple ();`
- E. Replace line n2 with `fruits.Apple apple = new fruits.Apple ();`

Correct Answer: AD

QUESTION 3

Which two statements are true about the Java Runtime Environment (JRE)?

- A. It is responsible for garbage collection.
- B. It interprets bytecode stored in a .class file.
- C. It contains the JDK and Java APIs.
- D. It is platform independent.
- E. You must install the JRE to compile a .java file.

Correct Answer: BD

Reference: https://en.wikipedia.org/wiki/Java_virtual_machine

QUESTION 4

Given the code fragment:

```
int a = 3;  
a = ++a + a++;  
a = --a - a--;  
System.out.println (a);
```

What is the output?

- A. 8
- B. 3
- C. 0
- D. A compilation error occurs.

Correct Answer: C

```
15 public class Test {  
16     public static void main (String[] args) {  
17         int a = 3;  
18         a = ++a + a++;  
19         a = --a - a--;  
20         System.out.println (a);  
21     }  
22 }  
23 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 30492 kilobyte(s)

0

QUESTION 5

Which statement is true about a Java method?

- A. It must be declared with an access modifier.
- B. It cannot be defined within another method.
- C. It must accept a parameter and return a value.
- D. It cannot be defined as static final.

Correct Answer: B

Reference: <https://www.quora.com/Can-we-define-a-function-within-another-function-in-Java>

[Latest 1Z0-811 Dumps](#)

[1Z0-811 PDF Dumps](#)

[1Z0-811 VCE Dumps](#)