

1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Given:

```
class Messenger {
    String msg;
    Messenger(String msg) {this.msg = msg;}
    public void writeMsg() {
        System.out.println(msg);
    }
    public void readMsg () {
        // line n1
    }
}
```

And the code fragment:

```
Messenger m = new Messenger ("All the best");
m.readMsg();
```

Which code fragment can be inserted at line n1 to enable the code to print All the best?

- A. void writeMsg();
- B. Messenger.writeMsg();
- C. writeMsg();
- D. m.writeMsg();

Correct Answer: B

QUESTION 2

Given the code fragment:

```
String[] codes = {"CA", "JP", "US", "CA", "UK"};
int count = 0;
for (String c : codes) {
    if (c.equals("CA")) {
        continue;
    } else {
        count++;
    }
}
System.out.println(count);
```

What is the result?

- A. 3
- B. A compilation error occurs.
- C. 2
- D. 0

Correct Answer: A

```
13 public class App {  
14     public static void main (String[] args) {  
15         String[] codes = {"CA", "JP", "US", "CA", "UK"};  
16         int count = 0;  
17         for (String c : codes) {  
18             if (c.equals("CA")) {  
19                 continue;  
20             } else {  
21                 count++;  
22             }  
23         }  
24         System.out.println(count);  
25     }  
26 }  
27 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.17 sec(s), Memory: 30712 kilobyte(s)

3

QUESTION 3

Given the code fragment:

```
5. float fValue = 120;  
6. int iValue = fValue;  
7. double dValue = fValue;  
8. long lValue = fValue;
```

At which line does a compilation error occur?

- A. lines 5 and 7
- B. line 7

C. lines 6 and 8

D. line 5

Correct Answer: D

QUESTION 4

Given: What is the result?

```
public static void main (String[] args) {  
    boolean value1 = 10 + 5 >= 2 + 13;  
    int value2 = 0;  
    if (value1 == true) {  
        value2 = 5 * 3 + 10 / 2;  
    } else {  
        value2 = 5 / 3 + 10 * 2;  
    }  
    System.out.println (value2);  
}
```

A. 20

B. 32

C. A compilation error occurs.

D. 21

Correct Answer: A

```
13
14 public class Test {
15     public static void main (String[] args) {
16         boolean value1 = 10 + 5 >= 2 + 13;
17         int value2 = 0;
18         if (value1 == true) {
19             value2 = 5 * 3 + 10 / 2;
20         } else {
21             value2 = 5 / 3 + 10 * 2;
22         }
23         System.out.println (value2);
24     }
25 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.13 sec(s), Memory: 30344 kilobyte(s)

20

QUESTION 5

Given the code

```
int num = 100;
int count = 0;
do {
    num--;
    count++;
} while (count > 1);
System.out.println ("num = " + num);
```

What is the result?

- A. The program executes indefinitely.
- B. num = 100

C. num = 99

D. num = 0

Correct Answer: C

[Latest 1Z0-811 Dumps](#)

[1Z0-811 Exam Questions](#)

[1Z0-811 Braindumps](#)