

1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Given the code

```
int num = 100;
int count = 0;
do {
    num--;
    count++;
} while (count > 1);
System.out.println ("num = " + num);
```

What is the result?

- A. The program executes indefinitely.
- B. num = 100
- C. num = 99
- D. num = 0

Correct Answer: C

QUESTION 2

Given the code fragment:

```
int a = 3;
a = ++a + a++;
a = --a - a--;
System.out.println (a);
```

What is the output?

- A. 8
- B. 3
- C. 0
- D. A compilation error occurs.

Correct Answer: C

```
15 public class Test {  
16     public static void main (String[] args) {  
17         int a = 3;  
18         a = ++a + a++;  
19         a = --a - a--;  
20         System.out.println (a);  
21     }  
22 }  
23 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 30492 kilobyte(s)

0

QUESTION 3

Given the code fragment: What is the result?

```
List<String> names = new ArrayList<>();  
names.add ("Joel");  
names.add ("Paul");  
names.remove (0);  
names.remove (0);  
System.out.println (names.isEmpty());  
names.add ("Joel");  
names.add ("Paul");  
names.clear();  
System.out.println (names.isEmpty ());
```

A. false true

- B. true true
- C. false false
- D. A runtime exception is thrown

Correct Answer: B

QUESTION 4

You have been asked to develop a Java program that prints the elements of an array in reverse order.

Which looping statement cannot be used to meet the requirement?

- A. enhanced for
- B. standard for
- C. while
- D. do-while

Correct Answer: D

Reference: <https://www.javatpoint.com/java-program-to-print-the-elements-of-an-array-in-reverse-order>

QUESTION 5

Given:

```
public class Test {  
    int var1;           // line n1  
    public static void main (String[] args) {  
        int var2;      // line n2  
        Test obj = new Test();  
        int var3 = var2 + obj.var1;  
        System.out.println(var3);  
    }  
}
```

What is the result?

- A. Compilation fails. To make it compile, replace line n1 with var1 = 0;
- B. Compilation fails. To make it compile, replace line n2 with var2 = 0;
- C. 0

D. Nothing is printed.

Correct Answer: B

[1Z0-811 PDF Dumps](#)

[1Z0-811 Practice Test](#)

[1Z0-811 Braindumps](#)