

1Z0-908^{Q&As}

MySQL 8.0 Database Administrator

Pass Oracle 1Z0-908 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-908.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A valid raw backup of the shop.customers MyISAM table was taken.

You must restore the table. You begin with these steps:

1. Confirm that `secure_file_priv=\\var/tmp\\`
2. `mysql> DROP TABLE shop.customers;`
3. `shell> cp /backup/customers.MY* /var/lib/mysql/shop/`

Which two actions are required to complete the restore? (Choose two.)

- A. `shell> cp /backup/customers.sdi /var/tmp`
- B. `shell> cp /backup/customers.sdi /var/lib/mysql/shop/`
- C. `mysql> SOURCE `var/tmp/customers.sdi``
- D. `mysql> IMPORT TABLE FROM /var/tmp/customers.sdi`
- E. `shell> cp /backup/customers.frm /var/lib/mysql/shop/`
- F. `mysql> IMPORT TABLE FROM /var/lib/mysql/shop/customers.sdi`
- G. `mysql> ALTER TABLE shop.customers IMPORT TABLESPACE`
- H. `mysql> ALTER TABLE shop.customers DISCARD TABLESPACE`

Correct Answer: DG

QUESTION 2

Where is the default data directory located after installing MySQL using RPM on Oracle Linux 7?

- A. `/usr/mysql`
- B. `/usr/bin`
- C. `/etc/my.cnf`
- D. `/var/lib/mysql`
- E. `/usr`

Correct Answer: D

QUESTION 3

An attempt to recover an InnoDB Cluster fails.

Examine this set of messages and responses:

```
host3:3377 ssl JS > dba.rebootClusterFromCompleteOutage() Reconfiguring the default cluster from complete outage...
```

The instance `host1:3377` was part of the cluster configuration. Would you like to rejoin it to the cluster? [y/N]: y

The instance `host2:3377` was part of the cluster configuration. Would you like to rejoin it to the cluster? [y/N]: y

DbarebootClusterFromCompleteOutage: The active session instance isn't the most updated in comparison with the ONLINE instances of the Cluster's metadata. Please use the most up to date instance: `host1:3377`. (RuntimeError)

Which statement is true?

- A. The instance deployed on host3 must be rebuilt with a backup from the primary instance.
- B. The cluster is running and there is at least one ONLINE instance.
- C. The instance deployed on host3 must be synchronized from a donor deployed on host1 by using the command `cluster.addInstance('host1:3377')`.
- D. It is possible to determine the most up-to-date instance by comparing different global transaction identifier (GTID) sets with `GTID_SUBSET(set1,set2)`.
- E. The active session instance is invalid and must be re-created by using the command `shell.connect ('host3:3377')`.

Correct Answer: C

QUESTION 4

You execute this command:

```
shell> mysqlpump --exclude-databases=% --users
```

Which statement is true?

- A. It creates a logical backup of all MySQL user accounts.
- B. It creates a logical backup of all metadata, but contains no table data.
- C. It returns an error because the mysqldump command should have been used.
- D. It creates a logical backup of only the users database.

Correct Answer: A

the command `mysqlpump --exclude-databases=% --users` creates a logical backup of all MySQL user accounts as CREATE USER and GRANT statements². The option `--exclude-databases=%` excludes all databases from the backup, while the option `--users` includes all user accounts¹.

QUESTION 5

Which command enables rule-based MySQL Auditing capabilities?

- A. shell> mysql
- B. shell> mysqld --initialize --log-raw=audit.log
- C. mysql> INSTALL PLUGIN audit_log;
- D. mysql> INSTALL COMPONENT audit_log;

Correct Answer: A

Reference: <https://dev.mysql.com/doc/mysql-security-excerpt/5.7/en/audit-log-filtering.html>

[Latest 1Z0-908 Dumps](#)

[1Z0-908 VCE Dumps](#)

[1Z0-908 Braindumps](#)