

1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which management operation is correct about Autonomous Databases on shared Exadata infrastructure?

- A. You can skip a scheduled maintenance run. For Autonomous Databases on shared Exadata infrastructure, you can skip maintenance runs for up to two consecutive quarters if needed.
- B. You can choose to use Release Update (RU) or Release Update Revision (RUR) updates for your about Autonomous Databases on shared Exadata infrastructure.
- C. You cannot configure the scheduling for your Autonomous Databases on shared Exadata infrastructure.
- D. You can perform a "rolling restart" on all the Autonomous Databases. During a rolling restart, each node of an Autonomous Database is restarted separately while the remaining nodes continue to be available.

Correct Answer: C

QUESTION 2

Which workload type does the Autonomous Database on dedicated infrastructure service currently support?

- A. Autonomous Transaction Processing only
- B. ATP and ADW
- C. Autonomous Data Warehouse only
- D. Hybrid Columnar compression

Correct Answer: B

QUESTION 3

Which statement is FALSE about Autonomous Database Maintenance on dedicated Exadata infrastructure?

- A. If a scheduled container database maintenance run cannot take place, Oracle will automatically reschedule the container database maintenance for the following quarter.
- B. Autonomous Exadata Infrastructure maintenance takes place at least once each quarter and is mandatory.
- C. You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow infrastructure maintenance within the same quarter.
- D. Autonomous Exadata Infrastructure maintenance runs are for infrastructure patching (including patching of the Exadata grid infrastructure code and operating systems updates), and include database patching.

Correct Answer: D

Exadata infrastructure maintenance takes place at least once each quarter and is mandatory.

If a scheduled container database maintenance run cannot take place (because of changes made to infrastructure maintenance scheduling or other reasons), Oracle will automatically reschedule the container database maintenance for the following quarter.

You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow infrastructure maintenance within the same quarter. Exadata infrastructure maintenance patches the Exadata infrastructure (including patching of the Exadata grid infrastructure code and operating systems updates), and DO NOT include database patching.

QUESTION 4



The screenshot shows a document titled "About Autonomous JSON Database". The text describes Oracle Autonomous JSON Database as a service designed for developing NoSQL-style applications using JavaScript Object Notation (JSON) documents. It mentions that you can promote an Autonomous JSON Database service to an Autonomous Transaction Processing service. A key feature is highlighted in yellow: "Autonomous JSON Database provides all of the same features, with this important limitation: you can store only up to 20 GB of data other than JSON document collections. ^{Foot 1} There is no storage limit for JSON collections." The document also discusses the flexibility of NoSQL-style, document-centric applications and the use of Simple Oracle Document Access (SODA) for accessing JSON collections.

Which TWO statements are TRUE about using an Autonomous Database with Private Endpoints

- A. A Network Security Group is required within your Virtual Cloud Network before you can provision a Shared Autonomous Database to use Private Endpoints
- B. An Autonomous Database with private endpoints can be accessed from the public internet by adding your ip address to an Access Control List.
- C. Private Endpoints can be configured when you clone a Shared Autonomous Database that was initially created with public endpoints.
- D. You can configure Private Endpoints for an Always Free Autonomous Database

Correct Answer: AC

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/network-private-endpointchange.html#GUID-9F76DD5E-85A3-4F5E-A88D-3D4D131FC2CA>

Enabling a private endpoint for an Autonomous Database ensures that the only access path to the database is via a

VCN inside your OracleCloud Infrastructure tenancy. This network configuration completely blocks access to the database from public endpoints

QUESTION 5


Which two options are available to restore an Autonomous Data Warehouse? (Choose two.)

- A. Backup and recovery must be done using Recovery Manager(RMAN).
- B. Select the snapshot of the backup.
- C. Select the archived redo logs.
- D. Select the backup from which restore needs to be done.
- E. Specify the point in time (timestamp) to restore.

Correct Answer: DE

In the Restore prompt, select Specify Timestamp or Select Backup to restore to a point in time or to restore from a specified backup.

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/backuprecover.html#GUID-78C28C41-AA87-4AD7-BEB6-693235C73F3C>



[Latest 1Z0-931-21 Dumps](#)

[1Z0-931-21 VCE Dumps](#)

[1Z0-931-21 Exam Questions](#)