

1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You are designing a lab exercise for your team that has a large number of graphics with large file sizes. The application becomes unresponsive if the graphics are embedded in the application. You have

uploaded the graphics to Oracle Cloud Infrastructure and only added the URL in the application. You need to ensure these graphics are accessible without requiring any authentication for an extended period of time.

How can you achieve these requirements?

- A. Create pre-authenticated requests (PAR) and specify 00:00:0000 as the expiration time.
- B. Make the object storage bucket private and all objects public and use the URL found in the Object "Details".
- C. Make the object storage bucket public and use the URL found in the Object "Details".
- D. Create PARs and do not specify an expiration date.

Correct Answer: C

QUESTION 2

You are the Solutions Architect of a large company and are tasked with migrating all your services to Oracle Cloud Infrastructure. As part of this, you first design a Virtual Cloud Network (VCN) with a public subnet and a private subnet. Then in order to provide Internet connectivity to the instances in your private subnet, you create an Oracle Linux instance in your public subnet and configure NAT on it. However, even after adding all related security list rules and routes in the Route Table, your private subnet instances still cannot connect to the Internet.

Which action should you perform to enable Internet connectivity?

- A. Disable "Source and Destination Check" on the VNIC of your Linux instance.
- B. There is no way that a private subnet can connect to the Internet.
- C. Create a Dynamic Routing Gateway (DRG) and route your private IP traffic to the DRG.
- D. Restart the NAT instance.

Correct Answer: A

QUESTION 3

You are about to upload log file (5 TiB size) to Oracle Cloud Infrastructure object storage and have decided to use multipart upload capability for a more efficient and resilient upload.

Which two statements are true about multipart upload? (Choose two.)

- A. Individual object parts can be as small as 10 MiB or as large as 50 GiB
- B. While a multipart upload is still active, you cannot add parts even if the total number of parts is less than 10,000
- C. The maximum size for an uploaded object is 10 TiB
- D. You do not have to commit the upload after you have uploaded all the object parts

Correct Answer: AC

Reference: <https://docs.cloud.oracle.com/iaas/Content/Object/Tasks/usingmultipartuploads.htm>

QUESTION 4

You have an application server that needs to copy data on Oracle Cloud Infrastructure (OCI) object storage in the same region. You have created a service gateway for OCI object storage in your virtual cloud network (VCN) and modified security lists associated with the subnet to allow traffic to the service gateway. You are able to connect to the OCI object storage, however, you notice that the connectivity is over the Internet instead of the service gateway. What is the reason for this behavior?

- A. The route table associated with the subnet has no route rule where the destination is object storage service
- B. The service gateway created in the VCN resides in a different availability domain
- C. The security list associated with the subnet has an egress rule that allows all traffic to be forwarded to a destination CIDR 0.0.0.0/0
- D. Identity and Access Management (IAM) policies restrict the access to the object storage bucket

Correct Answer: B

Reference: https://cloud.oracle.com/en_US/bare-metal-network/vcn/faq

QUESTION 5

Which statement is true about Oracle Cloud Infrastructure Object Storage Service?

- A. An Archive Object Storage tier bucket can be upgraded to the Standard Object Storage tier.
- B. You cannot directly download an object from an Archive Object Storage bucket.
- C. An existing Standard Object Storage tier bucket can be downgraded to the Archive Object Storage tier.
- D. Data retrieval in Archive Object Storage is instantaneous.

Correct Answer: B