

200-601^{Q&As}

Managing Industrial Networks for Manufacturing with Cisco Technologies

Pass Cisco 200-601 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/200-601.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Cisco Industrial Ethernet switches are capable of sending alarm messages to ProfiNET management stations using the ProfiNET-IO protocol. Which four are alarms that can be configured for an interface? (Choose four)

- A. Port Not Forwarding
- B. Port Not Operating
- C. Port LLDP Disabled
- D. Port QoS Disabled
- E. Port Duplex Mismatch
- F. Port FCS Errors Exceeded Threshold
- G. Port CRC Errors Exceeded Threshold
- H. Port Link Fault
- Correct Answer: ABFH

QUESTION 2

Which statement is correct regarding Media Redundancy Protocol (MRP) in a ring of ProfiNET devices?

- A. When a link fault is detected, MRP rings must converge in less than 100 milliseconds
- B. MRP defines two device roles, Media Redundancy Master and Media Redundancy Client
- C. MRP can support rings of up to 250 devices
- D. MRP is only supported on network switches

Correct Answer: B

QUESTION 3

ProfiNET has been disabled on a Cisco Industrial Ethernet switch. Which CLI command will correctly enable ProfiNET on the switch?

- A. switch(config)#profinet
- B. switch(config-if)#switchport profinet vlan 10
- C. switch(config)#vlan 10 profinet
- D. switch#enable profinet
- Correct Answer: A



QUESTION 4

You have reached the limit of IPv4 IGMP groups available on a Cisco IE 3000 switch that was deployed using the Express Setup. Which CLI command will increase the number of available IPv4 IGMP groups and multicast routes from 256 to 1000 on this switch?

- A. switch(config)#sdm prefer routing
- B. switch(config)#sdm prefer vlan igmp
- C. switch(config)#sdm prefer routing igmp
- D. switch(config)#sdm prefer vlan

Correct Answer: A

QUESTION 5

Which three of the following components must be elected before the Spanning Tree Protocol can converge in a switched LAN? (Choose three.)

- A. designated ports
- B. duplex operating mode
- C. fast mode ports
- D. root bridge
- E. root ports
- F. BDPU priority

Correct Answer: ADE

200-601 PDF Dumps

200-601 Exam Questions

200-601 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4lead, All Rights Reserved.